

BBM 202 - ALGORITHMS



DEPT. OF COMPUTER ENGINEERING

DIRECTED GRAPHS

Mar. 31, 2016


Acknowledgement: The course slides are adapted from the slides prepared by R. Sedgewick and K. Wayne of Princeton University.

TODAY

- ▶ Directed Graphs
- ▶ Digraph API
- ▶ Digraph search
- ▶ Topological sort
- ▶ Strong components

Directed graphs


Digraph. Set of vertices connected pairwise by **directed** edges.



3

Road network


Vertex = intersection; edge = one-way street.



4

Political blogosphere graph


Vertex = political blog; edge = link.



The Political Blogosphere and the 2004 U.S. Election: Divided They Blog, Adamic and Glance, 2005

Overnight interbank loan graph


Vertex = bank; edge = overnight loan.



The Topology of the Federal Funds Market, Bech and Atalay, 2008


Implication graph

Vertex = variable; edge = logical implication.




Combinational circuit

Vertex = logical gate; edge = wire.



WordNet graph

Vertex = synset; edge = hypernym relationship.



9

Digraph applications

digraph	vertex	directed edge
transportation	street intersection	one-way street
web	web page	hyperlink
food web	species	predator-prey relationship
WordNet	synset	hypernym
scheduling	task	precedence constraint
financial	bank	transaction
cell phone	person	placed call
infectious disease	person	infection
game	board position	legal move
citation	journal article	citation
object graph	object	pointer
inheritance hierarchy	class	inherits from
control flow	code block	jump

10

Some digraph problems

Path. Is there a directed path from s to t ?


Shortest path. What is the shortest directed path from s to t ?

Topological sort. Can you draw the digraph so that all edges point upwards?

Strong connectivity. Is there a directed path between all pairs of vertices?

Transitive closure. For which vertices v and w is there a path from v to w ?

PageRank. What is the importance of a web page?



11

DIRECTED GRAPHS

- ▶ Digraph API
- ▶ Digraph search
- ▶ Topological sort
- ▶ Strong components

Digraph API

public class Digraph	
Digraph(int V)	create an empty digraph with V vertices
Digraph(In in)	create a digraph from input stream
void addEdge(int v, int w)	add a directed edge v→w
Iterable<Integer> adj(int v)	vertices pointing from v
int V()	number of vertices
int E()	number of edges
Digraph reverse()	reverse of this digraph
String toString()	string representation

```
In in = new In(args[0]);
Digraph G = new Digraph(in);


for (int v = 0; v < G.V(); v++)
    for (int w : G.adj(v))
        StdOut.println(v + "->" + w);
```

← read digraph from input stream

← print out each edge (once)

13

Digraph API



```
In in = new In(args[0]);
Digraph G = new Digraph(in);

for (int v = 0; v < G.V(); v++)
    for (int w : G.adj(v))
        StdOut.println(v + "->" + w);
```


← read digraph from input stream

← print out each edge (once)

14

Adjacency-lists digraph representation

Maintain vertex-indexed array of lists.



15

Adjacency-lists graph representation: Java implementation

```
public class Graph
{
    private final int V;
    private final Bag<Integer>[] adj;

    public Graph(int V)
    {
        this.V = V;
        adj = (Bag<Integer>[]) new Bag[V];
        for (int v = 0; v < V; v++)
            adj[v] = new Bag<Integer>();
    }

    public void addEdge(int v, int w)
    {
        adj[v].add(w);
        adj[w].add(v);
    }

    public Iterable<Integer> adj(int v)
    { return adj[v]; }
}
```

← adjacency lists

← create empty graph with V vertices

← add edge v-w

← iterator for vertices adjacent to v

16

Adjacency-lists digraph representation: Java implementation

```

public class Digraph
{
    private final int V;
    private final Bag<Integer>[] adj; ← adjacency lists

    public Digraph(int V)
    {
        this.V = V;
        adj = (Bag<Integer>[]) new Bag[V]; ← create empty digraph with V vertices
        for (int v = 0; v < V; v++)
            adj[v] = new Bag<Integer>();
    }

    public void addEdge(int v, int w) ← add edge v→w
    {
        adj[v].add(w);
    }

    public Iterable<Integer> adj(int v) ← iterator for vertices pointing from v
    {
        return adj[v];
    }
}
    
```

Digraph representations

In practice. Use adjacency-lists representation.

- Algorithms based on iterating over vertices pointing from v .
- Real-world digraphs tend to be sparse.

huge number of vertices,
small average vertex degree

representation	space	insert edge from v to w	edge from v to w ?	iterate over vertices pointing from v ?
list of edges	E	1	E	E
adjacency matrix	V^2	1†	1	V
adjacency lists	$E + V$	1	outdegree(v)	outdegree(v)


† disallows parallel edges

DIRECTED GRAPHS

- ▶ Digraph API
- ▶ Digraph search
- ▶ Topological sort
- ▶ Strong components

Reachability

Problem. Find all vertices reachable from s along a directed path.



Depth-first search in digraphs


Same method as for undirected graphs.

- Every undirected graph is a digraph (with edges in both directions).
- DFS is a **digraph** algorithm.

DFS (to visit a vertex v)

Mark v as visited.

Recursively visit all unmarked vertices w pointing from v .




21

Depth-first search

To visit a vertex v :

- Mark vertex v as visited.
- Recursively visit all unmarked vertices pointing from v .



a directed graph


- 4→2
- 2→3
- 3→2
- 6→0
- 0→1
- 2→0
- 11→12
- 12→9
- 9→10
- 9→11
- 8→9
- 10→12
- 11→4
- 4→3
- 3→5
- 6→8
- 8→6
- 5→4
- 0→5
- 6→4
- 6→9
- 7→6

22

Depth-first search

To visit a vertex v :

- Mark vertex v as visited.
- Recursively visit all unmarked vertices pointing from v .



a directed graph


v	marked[]	edgeTo[]
0	F	-
1	F	-
2	F	-
3	F	-
4	F	-
5	F	-
6	F	-
7	F	-
8	F	-
9	F	-
10	F	-
11	F	-
12	F	-

23

Depth-first search

To visit a vertex v :

- Mark vertex v as visited.
- Recursively visit all unmarked vertices pointing from v .



visit 0


v	marked[]	edgeTo[]
0	T	-
1	F	-
2	F	-
3	F	-
4	F	-
5	F	-
6	F	-
7	F	-
8	F	-
9	F	-
10	F	-
11	F	-
12	F	-

24

Depth-first search

To visit a vertex v :

- Mark vertex v as visited.
- Recursively visit all unmarked vertices pointing from v .



visit 5


v	marked[]	edgeTo[]
0	T	-
1	F	-
2	F	-
3	F	-
4	F	-
5	T	0
6	F	-
7	F	-
8	F	-
9	F	-
10	F	-
11	F	-
12	F	-

25

Depth-first search

To visit a vertex v :

- Mark vertex v as visited.
- Recursively visit all unmarked vertices pointing from v .



visit 4


v	marked[]	edgeTo[]
0	T	-
1	F	-
2	F	-
3	F	-
4	T	5
5	T	0
6	F	-
7	F	-
8	F	-
9	F	-
10	F	-
11	F	-
12	F	-

26

Depth-first search

To visit a vertex v :

- Mark vertex v as visited.
- Recursively visit all unmarked vertices pointing from v .



visit 3


v	marked[]	edgeTo[]
0	T	-
1	F	-
2	F	-
3	T	4
4	T	5
5	T	0
6	F	-
7	F	-
8	F	-
9	F	-
10	F	-
11	F	-
12	F	-

27

Depth-first search

To visit a vertex v :

- Mark vertex v as visited.
- Recursively visit all unmarked vertices pointing from v .



visit 3


v	marked[]	edgeTo[]
0	T	-
1	F	-
2	F	-
3	T	4
4	T	5
5	T	0
6	F	-
7	F	-
8	F	-
9	F	-
10	F	-
11	F	-
12	F	-

28

Depth-first search

To visit a vertex v :

- Mark vertex v as visited.
- Recursively visit all unmarked vertices pointing from v .



visit 2


v	marked[]	edgeTo[]
0	T	-
1	F	-
2	T	3
3	T	4
4	T	5
5	T	0
6	F	-
7	F	-
8	F	-
9	F	-
10	F	-
11	F	-
12	F	-

29

Depth-first search

To visit a vertex v :

- Mark vertex v as visited.
- Recursively visit all unmarked vertices pointing from v .



visit 2


v	marked[]	edgeTo[]
0	T	-
1	F	-
2	T	3
3	T	4
4	T	5
5	T	0
6	F	-
7	F	-
8	F	-
9	F	-
10	F	-
11	F	-
12	F	-

30

Depth-first search

To visit a vertex v :

- Mark vertex v as visited.
- Recursively visit all unmarked vertices pointing from v .



done 2


v	marked[]	edgeTo[]
0	T	-
1	F	-
2	T	3
3	T	4
4	T	5
5	T	0
6	F	-
7	F	-
8	F	-
9	F	-
10	F	-
11	F	-
12	F	-

31

Depth-first search

To visit a vertex v :

- Mark vertex v as visited.
- Recursively visit all unmarked vertices pointing from v .



done 3


v	marked[]	edgeTo[]
0	T	-
1	F	-
2	T	3
3	T	4
4	T	5
5	T	0
6	F	-
7	F	-
8	F	-
9	F	-
10	F	-
11	F	-
12	F	-

32

Depth-first search

To visit a vertex v :

- Mark vertex v as visited.
- Recursively visit all unmarked vertices pointing from v .



visit 4


v	marked[]	edgeTo[]
0	T	-
1	F	-
2	T	3
3	T	4
4	T	5
5	T	0
6	F	-
7	F	-
8	F	-
9	F	-
10	F	-
11	F	-
12	F	-

33

Depth-first search

To visit a vertex v :

- Mark vertex v as visited.
- Recursively visit all unmarked vertices pointing from v .



done 4


v	marked[]	edgeTo[]
0	T	-
1	F	-
2	T	3
3	T	4
4	T	5
5	T	0
6	F	-
7	F	-
8	F	-
9	F	-
10	F	-
11	F	-
12	F	-

34

Depth-first search

To visit a vertex v :

- Mark vertex v as visited.
- Recursively visit all unmarked vertices pointing from v .



done 5


v	marked[]	edgeTo[]
0	T	-
1	F	-
2	T	3
3	T	4
4	T	5
5	T	0
6	F	-
7	F	-
8	F	-
9	F	-
10	F	-
11	F	-
12	F	-

35

Depth-first search

To visit a vertex v :

- Mark vertex v as visited.
- Recursively visit all unmarked vertices pointing from v .



visit 0


v	marked[]	edgeTo[]
0	T	-
1	F	-
2	T	3
3	T	4
4	T	5
5	T	0
6	F	-
7	F	-
8	F	-
9	F	-
10	F	-
11	F	-
12	F	-

36

Depth-first search

To visit a vertex v :

- Mark vertex v as visited.
- Recursively visit all unmarked vertices pointing from v .



visit 1


v	marked[]	edgeTo[]
0	T	-
1	T	0
2	T	3
3	T	4
4	T	5
5	T	0
6	F	-
7	F	-
8	F	-
9	F	-
10	F	-
11	F	-
12	F	-

37

Depth-first search

To visit a vertex v :

- Mark vertex v as visited.
- Recursively visit all unmarked vertices pointing from v .



done 1


v	marked[]	edgeTo[]
0	T	-
1	T	0
2	T	3
3	T	4
4	T	5
5	T	0
6	F	-
7	F	-
8	F	-
9	F	-
10	F	-
11	F	-
12	F	-

38

Depth-first search

To visit a vertex v :

- Mark vertex v as visited.
- Recursively visit all unmarked vertices pointing from v .



done 0


v	marked[]	edgeTo[]
0	T	-
1	T	0
2	T	3
3	T	4
4	T	5
5	T	0
6	F	-
7	F	-
8	F	-
9	F	-
10	F	-
11	F	-
12	F	-

39

Depth-first search

To visit a vertex v :

- Mark vertex v as visited.
- Recursively visit all unmarked vertices pointing from v .



done


v	marked[]	edgeTo[]
0	T	-
1	T	0
2	T	3
3	T	4
4	T	5
5	T	0
6	F	-
7	F	-
8	F	-
9	F	-
10	F	-
11	F	-
12	F	-

40

Depth-first search

To visit a vertex v :

- Mark vertex v as visited.
- Recursively visit all unmarked vertices pointing from v .



Depth-first search (in undirected graphs)

Recall code for **undirected** graphs.

```

public class DepthFirstSearch
{
    private boolean[] marked;

    public DepthFirstSearch(Graph G, int s)
    {
        marked = new boolean[G.V()];
        dfs(G, s);
    }

    private void dfs(Graph G, int v)
    {
        marked[v] = true;
        for (int w : G.adj(v))
            if (!marked[w]) dfs(G, w);
    }

    public boolean visited(int v)
    {
        return marked[v];
    }
}
    
```

Annotations:

- ← true if path to s
- ← constructor marks vertices connected to s
- ← recursive DFS does the work
- ← client can ask whether any vertex is connected to s

Depth-first search (in directed graphs)

Code for **directed** graphs identical to undirected one.

[substitute `Digraph` for `Graph`]

```

public class DirectedDFS
{
    private boolean[] marked;

    public DirectedDFS(Digraph G, int s)
    {
        marked = new boolean[G.V()];
        dfs(G, s);
    }

    private void dfs(Digraph G, int v)
    {
        marked[v] = true;
        for (int w : G.adj(v))
            if (!marked[w]) dfs(G, w);
    }

    public boolean visited(int v)
    {
        return marked[v];
    }
}
    
```

Annotations:

- ← true if path from s
- ← constructor marks vertices reachable from s
- ← recursive DFS does the work
- ← client can ask whether any vertex is reachable from s

Reachability application: program control-flow analysis

Every program is a digraph.


- Vertex = basic block of instructions (straight-line program).
- Edge = jump.

Dead-code elimination.

Find (and remove) unreachable code.

Infinite-loop detection.

Determine whether exit is unreachable.




Reachability application: mark-sweep garbage collector

Every data structure is a digraph.

- Vertex = object.
- Edge = reference.

Roots. Objects known to be directly accessible by program (e.g., stack).

Reachable objects. Objects indirectly accessible by program (starting at a root and following a chain of pointers).




45

Reachability application: mark-sweep garbage collector

Mark-sweep algorithm. [McCarthy, 1960]

- Mark: mark all reachable objects.
- Sweep: if object is unmarked, it is garbage (so add to free list).

Memory cost. Uses 1 extra mark bit per object (plus DFS stack).



46

Depth-first search in digraphs summary

DFS enables direct solution of simple digraph problems.

- ✓ • Reachability.
- Path finding.
- Topological sort.
- Directed cycle detection.

Basis for solving difficult digraph problems.

- 2-satisfiability.
- Directed Euler path.
- Strongly-connected components.

SIAM J. COMPUT.
Vol. 1, No. 2, June 1972

DEPTH-FIRST SEARCH AND LINEAR GRAPH ALGORITHMS*

ROBERT TARJAN†

Abstract. The value of depth-first search or "backtracking" as a technique for solving problems is illustrated by two examples. An improved version of an algorithm for finding the strongly connected components of a directed graph and an algorithm for finding the biconnected components of an undirected graph are presented. The space and time requirements of both algorithms are bounded by $O(V + E)$, for some constants k_1 and k_2 , where V is the number of vertices and E is the number of edges of the graph being examined.

47

Breadth-first search in digraphs

Same method as for undirected graphs.


- Every undirected graph is a digraph (with edges in both directions).
- BFS is a **digraph** algorithm.

BFS (from source vertex s)

Put s onto a FIFO queue, and mark s as visited.

Repeat until the queue is empty:

- remove the least recently added vertex v
- for each unmarked vertex pointing from v :
add to queue and mark as visited.



Proposition. BFS computes shortest paths (fewest number of edges) from s to all other vertices in a digraph in time proportional to $E + V$.


48

Multiple-source shortest paths

Multiple-source shortest paths. Given a digraph and a **set** of source vertices, find shortest path from any vertex in the set to each other vertex.

Ex. $S = \{1, 7, 10\}$.

- Shortest path to 4 is $7 \rightarrow 6 \rightarrow 4$.
- Shortest path to 5 is $7 \rightarrow 6 \rightarrow 0 \rightarrow 5$.
- Shortest path to 12 is $10 \rightarrow 12$.



- Q. How to implement multi-source constructor?
 A. Use BFS, but initialize by enqueueing all source vertices.

49


Breadth-first search in digraphs application: web crawler

Goal. Crawl web, starting from some root web page, say www.princeton.edu.

Solution. BFS with implicit graph.

BFS.

- Choose root web page as source s .
- Maintain a **queue** of websites to explore.
- Maintain a **set** of discovered websites.
- Dequeue the next website and enqueue websites to which it links (provided you haven't done so before).



Q. Why not use DFS?

50

Bare-bones web crawler: Java implementation

```

Queue<String> queue = new Queue<String>();
SET<String> discovered = new SET<String>();

String root = "http://www.princeton.edu";
queue.enqueue(root);
discovered.add(root);

while (!queue.isEmpty())
{
    String v = queue.dequeue();
    StdOut.println(v);
    In in = new In(v);
    String input = in.readAll();

    String regexp = "http://(\\w+\\.\\.)*(\\w+) ";
    Pattern pattern = Pattern.compile(regexp);
    Matcher matcher = pattern.matcher(input);
    while (matcher.find())
    {
        String w = matcher.group();
        if (!discovered.contains(w))
        {
            discovered.add(w);
            queue.enqueue(w);
        }
    }
}
    
```

← queue of websites to crawl
 ← set of discovered websites

← start crawling from root website

← read in raw html from next website in queue

← use regular expression to find all URLs in website of form `http://xxx.yyy.zzz` [crude pattern misses relative URLs]

← if undiscovered, mark it as discovered and put on queue

51

DIRECTED GRAPHS



- Digraph API
- Digraph search
- Topological sort
- Strong components

Precedence scheduling

Goal. Given a set of tasks to be completed with precedence constraints, in which order should we schedule the tasks?

Digraph model. vertex = task; edge = precedence constraint.

- tasks
0. Algorithms
 1. Complexity Theory
 2. Artificial Intelligence
 3. Intro to CS
 4. Cryptography
 5. Scientific Computing





53

Topological sort

DAG. Directed *acyclic* graph.

Topological sort. Redraw DAG so all edges point upwards.

- directed edges
- 0→5
 - 0→1
 - 3→5
 - 5→4
 - 6→0
 - 1→4
 - 0→2
 - 3→6
 - 3→4
 - 6→4
 - 3→2




54

Solution. DFS. What else?

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




a directed acyclic graph

- 0→5
- 0→2
- 0→1
- 3→6
- 3→5
- 3→4
- 5→4
- 6→4
- 6→0
- 3→2
- 1→4

55

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




visit 0

postorder

56

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

visit 1

57

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

visit 4

58

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.



postorder


4

4 done

59

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.



postorder


4

visit 1

60

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder
4 1

1 done

61

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder
4 1

visit 0

62

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder
4 1

visit 2

63

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder
4 1 2

2 done

64

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder
4 1 2

visit 0

65

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder
4 1 2

visit 5

66

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder
4 1 2

visit 5

67

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder
4 1 2 5

5 done

68

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder
4 1 2 5

visit 0

69

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder
4 1 2 5 0

0 done

70

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder
4 1 2 5 0

check 1

71

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder
4 1 2 5 0

check 2

72

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder
4 1 2 5 0

visit 3

73

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder
4 1 2 5 0

visit 3

74

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder
4 1 2 5 0

visit 3

75

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder
4 1 2 5 0

visit 3

76

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder
4 1 2 5 0

visit 6

77

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder
4 1 2 5 0

visit 6

78

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder
4 1 2 5 0 6

6 done

79

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder
4 1 2 5 0 6

visit 3

80

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder
4 1 2 5 0 6 3

3 done

81

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder
4 1 2 5 0 6 3

check 4

82

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder
4 1 2 5 0 6 3

check 5

83

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder
4 1 2 5 0 6 3

check 6

84

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.



postorder

4 1 2 5 0 6 3

topological order

3 6 0 5 2 1 4

done

85

Depth-first search order

```
public class DepthFirstOrder
{
    private boolean[] marked;
    private Stack<Integer> reversePost;

    public DepthFirstOrder(Digraph G)
    {
        reversePost = new Stack<Integer>();
        marked = new boolean[G.V()];
        for (int v = 0; v < G.V(); v++)
            if (!marked[v]) dfs(G, v);
    }

    private void dfs(Digraph G, int v)
    {
        marked[v] = true;
        for (int w : G.adj(v))
            if (!marked[w]) dfs(G, w);
        reversePost.push(v);
    }

    public Iterable<Integer> reversePost()
    { return reversePost; }
}
```

← returns all vertices in
"reverse DFS postorder"


86

Topological sort in a DAG: correctness proof

Proposition. Reverse DFS postorder of a DAG is a topological order.

Pf. Consider any edge $v \rightarrow w$. When $\text{dfs}(v)$ is called:

- Case 1: $\text{dfs}(w)$ has already been called and returned.
Thus, w was done before v .
- Case 2: $\text{dfs}(w)$ has not yet been called.
 $\text{dfs}(w)$ will get called directly or indirectly
by $\text{dfs}(v)$ and will finish before $\text{dfs}(v)$.
Thus, w will be done before v .
- Case 3: $\text{dfs}(w)$ has already been called,
but has not yet returned.
Can't happen in a DAG: function call stack contains
path from w to v , so $v \rightarrow w$ would complete a cycle.



all vertices pointing from 3 are done before 3 is done,
so they appear after 3 in topological order


87

Directed cycle detection

Proposition. A digraph has a topological order iff no directed cycle.

Pf.

- If directed cycle, topological order impossible.
- If no directed cycle, DFS-based algorithm finds a topological order.



a digraph with a directed cycle

Goal. Given a digraph, find a directed cycle.

Solution. DFS. What else? See textbook.

88

Directed cycle detection application: precedence scheduling

Scheduling. Given a set of tasks to be completed with precedence constraints, in what order should we schedule the tasks?

PAGE 3

DEPARTMENT	COURSE	DESCRIPTION	PREREQS
COMPUTER SCIENCE	CPSC 432	INTERMEDIATE COMPILER DESIGN, WITH A FOCUS ON DEPENDENCY RESOLUTION.	CPSC 432

<http://xkcd.com/754>

Remark. A directed cycle implies scheduling problem is infeasible.

89

Directed cycle detection application: cyclic inheritance

The Java compiler does cycle detection.

```
public class A extends B
{
  ...
}
```

```
public class B extends C
{
  ...
}
```


```
public class C extends A
{
  ...
}
```

```
% javac A.java
A.java:1: cyclic inheritance
involving A
public class A extends B { }
          ^
1 error
```

90

Directed cycle detection application: spreadsheet recalculation

Microsoft Excel does cycle detection (and has a circular reference toolbar!)



91

Directed cycle detection applications

- Causalities.
- Email loops.
- Compilation units.
- Class inheritance.
- Course prerequisites.
- Deadlocking detection.
- Precedence scheduling.
- Temporal dependencies.
- Pipeline of computing jobs.
- Check for symbolic link loop.
- Evaluate formula in spreadsheet.

92

DIRECTED GRAPHS

- ▶ Digraph API
- ▶ Digraph search
- ▶ Topological sort
- ▶ Strong components


Strongly-connected components

Def. Vertices v and w are **strongly connected** if there is a directed path from v to w and a directed path from w to v .

Key property. Strong connectivity is an **equivalence relation**:


- v is strongly connected to v .
- If v is strongly connected to w , then w is strongly connected to v .
- If v is strongly connected to w and w to x , then v is strongly connected to x .

Def. A **strong component** is a maximal subset of strongly-connected vertices.



94


Examples of strongly-connected digraphs



95

Connected components vs. strongly-connected components

v and w are **connected** if there is a path between v and w



3 connected components


connected component id (easy to compute with DFS)

	0	1	2	3	4	5	6	7	8	9	10	11	12
cc[]	0	0	0	0	0	0	1	1	1	2	2	2	2

```
public int connected(int v, int w)
{ return cc[v] == cc[w]; }
```

constant-time client connectivity query

v and w are **strongly connected** if there is a directed path from v to w and a directed path from w to v



5 strongly-connected components

strongly-connected component id (how to compute?)

	0	1	2	3	4	5	6	7	8	9	10	11	12
scc[]	1	0	1	1	1	1	3	4	3	2	2	2	2


```
public int stronglyConnected(int v, int w)
{ return scc[v] == scc[w]; }
```

constant-time client strong-connectivity query

96

Strong component application: ecological food webs

Food web graph. Vertex = species; edge = from producer to consumer.



<http://www.twingroves.district96.k12.il.us/Wetlands/Salamander/SalGraphics/salfoodweb.gif>

Strong component. Subset of species with common energy flow.

Strong component application: software modules

Software module dependency graph.

- Vertex = software module.
- Edge: from module to dependency.



Firefox



Internet Explorer

Strong component. Subset of mutually interacting modules.

Approach 1. Package strong components together.

Approach 2. Use to improve design!

Strong components algorithms: brief history

1960s: Core OR problem.

- Widely studied; some practical algorithms.
- Complexity not understood.

1972: linear-time DFS algorithm (Tarjan).

- Classic algorithm.
- Level of difficulty: Algs4++.
- Demonstrated broad applicability and importance of DFS.

1980s: easy two-pass linear-time algorithm (Kosaraju-Sharir).

- Forgot notes for lecture; developed algorithm in order to teach it!
- Later found in Russian scientific literature (1972).

1990s: more easy linear-time algorithms.

- Gabow: fixed old OR algorithm.
- Cheriyan-Mehlhorn: needed one-pass algorithm for LEDA.

Kosaraju's algorithm: intuition


Reverse graph. Strong components in G are same as in G^R .

Kernel DAG. Contract each strong component into a single vertex.


Idea.

- Compute topological order (reverse postorder) in kernel DAG.
- Run DFS, considering vertices in reverse topological order.

← how to compute?



digraph G and its strong components




kernel DAG of G (in reverse topological order)

KOSARAJU'S ALGORITHM

- ▶ DFS in reverse graph
- ▶ DFS in original graph

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .




digraph G

102

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .




reverse digraph G^R

v	marked[v]
0	-
1	-
2	-
3	-
4	-
5	-
6	-
7	-
8	-
9	-
10	-
11	-
12	-

103

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .




visit 0

v	marked[v]
0	T
1	F
2	F
3	F
4	F
5	F
6	F
7	F
8	F
9	F
10	F
11	F
12	F

104

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .




visit 6

v	marked[v]
0	T
1	F
2	F
3	F
4	F
5	F
6	T
7	F
8	F
9	F
10	F
11	F
12	F

105

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .




visit 8

v	marked[v]
0	T
1	F
2	F
3	F
4	F
5	F
6	T
7	F
8	T
9	F
10	F
11	F
12	F

106

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .




8 done

v	marked[v]
0	T
1	F
2	F
3	F
4	F
5	F
6	T
7	F
8	T
9	F
10	F
11	F
12	F

107

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .



visit 6


v	marked[v]
0	T
1	F
2	F
3	F
4	F
5	F
6	T
7	F
8	T
9	F
10	F
11	F
12	F

108

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

8



visit 7


v	marked[v]
0	T
1	F
2	F
3	F
4	F
5	F
6	T
7	T
8	T
9	F
10	F
11	F
12	F

109

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

7 8



7 done


v	marked[v]
0	T
1	F
2	F
3	F
4	F
5	F
6	T
7	T
8	T
9	F
10	F
11	F
12	F

110

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

6 7 8



6 done


v	marked[v]
0	T
1	F
2	F
3	F
4	F
5	F
6	T
7	T
8	T
9	F
10	F
11	F
12	F

111

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

6 7 8



visit 0


v	marked[v]
0	T
1	F
2	F
3	F
4	F
5	F
6	T
7	T
8	T
9	F
10	F
11	F
12	F

112

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

6 7 8



visit 2


v	marked[v]
0	T
1	F
2	T
3	F
4	F
5	F
6	T
7	T
8	T
9	F
10	F
11	F
12	F

113

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

6 7 8



visit 4


v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	F
6	T
7	T
8	T
9	F
10	F
11	F
12	F

114

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

6 7 8



visit 11


v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	F
6	T
7	T
8	T
9	F
10	F
11	T
12	F

115

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

6 7 8



visit 9


v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	F
6	T
7	T
8	T
9	T
10	F
11	T
12	F

116

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

6 7 8



visit 12


v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	F
6	T
7	T
8	T
9	T
10	F
11	T
12	T

117

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

6 7 8



visit 12


v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	F
6	T
7	T
8	T
9	T
10	F
11	T
12	T

118

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

6 7 8



visit 10


v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	F
6	T
7	T
8	T
9	T
10	T
11	T
12	T

119

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

10 6 7 8



10 done


v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	F
6	T
7	T
8	T
9	T
10	T
11	T
12	T

120

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

12 10 6 7 8



12 done


v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	F
6	T
7	T
8	T
9	T
10	T
11	T
12	T

121

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

12 10 6 7 8



visit 9


v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	F
6	T
7	T
8	T
9	T
10	T
11	T
12	T

122

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

12 10 6 7 8



visit 9


v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	F
6	T
7	T
8	T
9	T
10	T
11	T
12	T

123

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

9 12 10 6 7 8



9 done


v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	F
6	T
7	T
8	T
9	T
10	T
11	T
12	T

124

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

11 9 12 10 6 7 8



11 done


v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	F
6	T
7	T
8	T
9	T
10	T
11	T
12	T

125

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

11 9 12 10 6 7 8



visit 4


v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	F
6	T
7	T
8	T
9	T
10	T
11	T
12	T

126

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

11 9 12 10 6 7 8



visit 4


v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	F
6	T
7	T
8	T
9	T
10	T
11	T
12	T

127

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

11 9 12 10 6 7 8



visit 5


v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	T
6	T
7	T
8	T
9	T
10	T
11	T
12	T

128

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

11 9 12 10 6 7 8



visit 3


v	marked[v]
0	T
1	F
2	T
3	T
4	T
5	T
6	T
7	T
8	T
9	T
10	T
11	T
12	T

129

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

11 9 12 10 6 7 8



visit 3


v	marked[v]
0	T
1	F
2	T
3	T
4	T
5	T
6	T
7	T
8	T
9	T
10	T
11	T
12	T

130

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

3 11 9 12 10 6 7 8



3 done


v	marked[v]
0	T
1	F
2	T
3	T
4	T
5	T
6	T
7	T
8	T
9	T
10	T
11	T
12	T

131

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

3 11 9 12 10 6 7 8



visit 5


v	marked[v]
0	T
1	F
2	T
3	T
4	T
5	T
6	T
7	T
8	T
9	T
10	T
11	T
12	T

132

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

5 3 11 9 12 10 6 7 8



5 done


v	marked[v]
0	T
1	F
2	T
3	T
4	T
5	T
6	T
7	T
8	T
9	T
10	T
11	T
12	T

133

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

4 5 3 11 9 12 10 6 7 8



4 done


v	marked[v]
0	T
1	F
2	T
3	T
4	T
5	T
6	T
7	T
8	T
9	T
10	T
11	T
12	T

134

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

4 5 3 11 9 12 10 6 7 8



visit 2


v	marked[v]
0	T
1	F
2	T
3	T
4	T
5	T
6	T
7	T
8	T
9	T
10	T
11	T
12	T

135

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

2 4 5 3 11 9 12 10 6 7 8



2 done


v	marked[v]
0	T
1	F
2	T
3	T
4	T
5	T
6	T
7	T
8	T
9	T
10	T
11	T
12	T

136

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

0 2 4 5 3 11 9 12 10 6 7 8



0 done


v	marked[v]
0	T
1	F
2	T
3	T
4	T
5	T
6	T
7	T
8	T
9	T
10	T
11	T
12	T

137

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

0 2 4 5 3 11 9 12 10 6 7 8



visit 1


v	marked[v]
0	T
1	T
2	T
3	T
4	T
5	T
6	T
7	T
8	T
9	T
10	T
11	T
12	T

138

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

1 0 2 4 5 3 11 9 12 10 6 7 8



1 done


v	marked[v]
0	T
1	T
2	T
3	T
4	T
5	T
6	T
7	T
8	T
9	T
10	T
11	T
12	T

139

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

1 0 2 4 5 3 11 9 12 10 6 7 8



check 2 3 4 5 6 7 8 9 10 11 12


v	marked[v]
0	T
1	T
2	T
3	T
4	T
5	T
6	T
7	T
8	T
9	T
10	T
11	T
12	T

140

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

1 0 2 4 5 3 11 9 12 10 6 7 8



reverse digraph G^R


141

Kosaraju's algorithm


Simple (but mysterious) algorithm for computing strong components.

- Run DFS on G^R to compute reverse postorder.
- Run DFS on G , considering vertices in order given by first DFS.

DFS in reverse digraph G^R



check unmarked vertices in the order
0 1 2 3 4 5 6 7 8 9 10 11 12



reverse postorder for use in second dfs()
1 0 2 4 5 3 11 9 12 10 6 7 8

```
dfs(0)
dfs(6)
  | check 6
  8 done
  dfs(7)
  7 done
  6 done
  dfs(2)
  dfs(4)
  dfs(9)
  dfs(11)
  dfs(12)
  check 11
  dfs(10)
  | check 9
  10 done
  12 done
  check 7
  check 6
```


142

KOSARAJU'S ALGORITHM

- DFS in reverse graph
- DFS in original graph

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 7 8




original digraph G

v	scc[v]
0	-
1	-
2	-
3	-
4	-
5	-
6	-
7	-
8	-
9	-
10	-
11	-
12	-

144

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . **1** 0 2 4 5 3 11 9 12 10 6 7 8




visit 1

v	scc[v]
0	-
1	0
2	-
3	-
4	-
5	-
6	-
7	-
8	-
9	-
10	-
11	-
12	-

145

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . **1** 0 2 4 5 3 11 9 12 10 6 7 8




1 done

v	scc[v]
0	-
1	0
2	-
3	-
4	-
5	-
6	-
7	-
8	-
9	-
10	-
11	-
12	-

146

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . **1** 0 2 4 5 3 11 9 12 10 6 7 8




strong component: 1

v	scc[v]
0	-
1	0
2	-
3	-
4	-
5	-
6	-
7	-
8	-
9	-
10	-
11	-
12	-

147

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . **1** 0 2 4 5 3 11 9 12 10 6 7 8




visit 0

v	scc[v]
0	1
1	0
2	-
3	-
4	-
5	-
6	-
7	-
8	-
9	-
10	-
11	-
12	-

148

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 7 8




visit 5

v	scc[v]
0	1
1	0
2	-
3	-
4	-
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

149

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 7 8




visit 4

v	scc[v]
0	1
1	0
2	-
3	-
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

150

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 7 8




visit 3

v	scc[v]
0	1
1	0
2	-
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

151

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 7 8




visit 1

v	scc[v]
0	1
1	0
2	-
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

152

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 7 8




visit 2

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

153

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 7 8




visit 2

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

154

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 7 8




2 done

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

155

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 7 8




3 done

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

156

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 7 8




visit 4

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

157

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 7 8




4 done

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

158

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 7 8




5 done

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

159

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 7 8




visit 0

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

160

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 7 8




0 done

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

161

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 7 8




strong component: 0 2 3 4 5

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

162

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 7 8




check 2

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

163

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 7 8




check 4

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

164

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 (5) 3 11 9 12 10 6 7 8




check 5

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

165

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 (3) 11 9 12 10 6 7 8




check 3

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

166

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 (11) 9 12 10 6 7 8




visit 11

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	2
12	-

167

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 (11) 9 12 10 6 7 8




visit 11

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	2
12	-

168

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 (11) 9 12 10 6 7 8




visit 12

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	2
12	2

169

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 (11) 9 12 10 6 7 8




visit 9

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	2
10	-
11	2
12	2

170

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 (11) 9 12 10 6 7 8




visit 9

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	2
10	-
11	2
12	2

171

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 (11) 9 12 10 6 7 8




visit 10

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	2
10	2
11	2
12	2

172

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 (11) 9 12 10 6 7 8




10 done

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	2
10	2
11	2
12	2

173

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 (11) 9 12 10 6 7 8




9 done

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	2
10	2
11	2
12	2

174

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 (11) 9 12 10 6 7 8




12 done

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	2
10	2
11	2
12	2

175

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 (11) 9 12 10 6 7 8




11 done

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	2
10	2
11	2
12	2

176

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 (11) 9 12 10 6 7 8




strong component: 9 10 11 12

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	(2)
10	(2)
11	(2)
12	(2)

177

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 (9) 12 10 6 7 8




check 9

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	2
10	2
11	2
12	2

178

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 (12) 10 6 7 8




check 12

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	2
10	2
11	2
12	2

179

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 (10) 6 7 8




check 10

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	2
10	2
11	2
12	2

180

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 (6) 7 8




visit 6

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	(3)
7	-
8	-
9	2
10	2
11	2
12	2

181

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 (6) 7 8




visit 6

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	3
7	-
8	-
9	2
10	2
11	2
12	2

182

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 (6) 7 8




visit 6

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	3
7	-
8	-
9	2
10	2
11	2
12	2

183

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 (6) 7 8




visit 8

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	3
7	-
8	(3)
9	2
10	2
11	2
12	2

184

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 (6) 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	3
7	-
8	3
9	2
10	2
11	2
12	2

8 done

185

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 (6) 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	3
7	-
8	3
9	2
10	2
11	2
12	2

visit 6

186

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 (6) 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	3
7	-
8	3
9	2
10	2
11	2
12	2

6 done

187

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 (6) 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	(3)
7	-
8	(3)
9	2
10	2
11	2
12	2

strong component: 6 8

188

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 (7) 8




visit 7

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	3
7	4
8	3
9	2
10	2
11	2
12	2

189

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 (7) 8




visit 7

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	3
7	4
8	3
9	2
10	2
11	2
12	2

190

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 (7) 8




7 done

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	3
7	4
8	3
9	2
10	2
11	2
12	2

191

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 (7) 8




strong component: 7

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	3
7	4
8	3
9	2
10	2
11	2
12	2

192

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 7 8




check 8

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	3
7	4
8	3
9	2
10	2
11	2
12	2

193

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 7 8



done

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	3
7	4
8	3
9	2
10	2
11	2
12	2


194

Kosaraju's algorithm


Simple (but mysterious) algorithm for computing strong components.

- Run DFS on G^R to compute reverse postorder.
- Run DFS on G , considering vertices in order given by first DFS.

DFS in original digraph G



check unmarked vertices in the order
1 0 2 4 5 3 11 9 12 10 6 7 8



```

dfs(1)
1 done

dfs(0)
dfs(5)
dfs(4)
dfs(3)
  check 5
  dfs(2)
    check 0
    check 3
    2 done
  3 done
  check 2
  4 done
  5 done
  check 1
  0 done
  check 2
  check 4
  check 5

dfs(11)
  check 4
  dfs(12)
    dfs(9)
      check 11
      dfs(10)
        check 12
        10 done
      9 done
    12 done
  11 done
  check 9
  check 12
  check 10

dfs(6)
  check 9
  check 4
  dfs(8)
    check 6
    8 done
  check 0
  6 done

dfs(7)
  check 6
  check 9
  check 8
  7 done
  check 8
  
```

Proposition. Second DFS gives strong components. (!!)

195

Connected components in an undirected graph (with DFS)

```

public class CC
{
  private boolean marked[];
  private int[] id;
  private int count;

  public CC(Graph G)
  {
    marked = new boolean[G.V()];
    id = new int[G.V()];

    for (int v = 0; v < G.V(); v++)
    {
      if (!marked[v])
      {
        dfs(G, v);
        count++;
      }
    }
  }

  private void dfs(Graph G, int v)
  {
    marked[v] = true;
    id[v] = count;
    for (int w : G.adj(v))
      if (!marked[w])
        dfs(G, w);
  }

  public boolean connected(int v, int w)
  { return id[v] == id[w]; }
}
  
```

196

Strong components in a digraph (with two DFSs)

```

public class KosarajuSCC
{
    private boolean marked[];
    private int[] id;
    private int count;

    public KosarajuSCC(Digraph G)
    {
        marked = new boolean[G.V()];
        id = new int[G.V()];
        DepthFirstOrder dfs = new DepthFirstOrder(G.reverse());
        for (int v : dfs.reversePost())
        {
            if (!marked[v])
            {
                dfs(G, v);
                count++;
            }
        }




        private void dfs(Digraph G, int v)
        {
            marked[v] = true;
            id[v] = count;
            for (int w : G.adj(v))
            {
                if (!marked[w])
                    dfs(G, w);
            }
        }

        public boolean stronglyConnected(int v, int w)
        {
            return id[v] == id[w];
        }
    }
}

```

197

Digraph-processing summary: algorithms of the day

single-source reachability		DFS
topological sort (DAG)		DFS
strong components		Kosaraju DFS (twice)

198