## BBM 205 - Discrete Structures: Midterm 1 Date: 24.10.2017, Time: 16:00 - 17:30

## Ad Soyad / Name: Ögrenci No /Student ID:

Question:	1	2	3	4	5	6	7	8	9	Total
Points:	15	12	10	7	12	12	12	10	10	100
Score:										

- 1. (15 points) Determine by using a truth table whether the following statements are a tautology (true for all combinations of x and y), a contradiction (false for all combinations of x and y) or neither. (Asagidaki ifadelerin totoloji (her x ve y degeri icin dogru), celiski (her x ve y degeri icin yanlis) ya da bunlardan hicbiri oldugunu dogruluk tablosu kullanarak gosterin.
  - (a)  $x \wedge (x \implies y) \wedge (\neg y)$

(b) 
$$x \implies (x \lor y)$$

(c)  $x \lor y) \land (\neg (x \land y))$ 

**Solution:** See pages 1-2 in the webpage: www.eecs70.org/static/homeworks/hw01-sol.pdf

- 2. (12 points) Let p, q and r be the propositions (p, q ve r ifadeleri asagidaki gibidir.) p: You get an A in the final exam (Finalden A aliyorsun)
  - q: You do every exercise in the book (Kitaptaki her alistirmayi cozuyorsun)
  - r: You get an A in this class (Dersten A aliyorsun)

Write the following propositions using p, q, r and logical connectives. (Asagidaki onermeleri p, q, r ve mantiksal baglaclar kullanarak yazin.)

(a) You get an A in this class, but you do not do every exercise in the book. (Dersten A aliyorsun, ama kitaptaki her alistirmayi cozmuyorsun.)

```
Solution: p \land \neg q
```

(b) You get an A on the final exam, you do every exercise in the book, and you get an A in this class. (Finalden A aliyorsun, kitaptaki her alistirmayi cozuyorsun, ve dersten A aliyorsun.)

Solution:  $p \land q \land r$ 

(c) To get an A in this class, it is necessary for you to get an A on the final exam. (Dersten A alman icin finalden A alman gerekli.)

Solution:  $r \implies p$ 

(d) Getting an A on the final exam and doing every exercise in the book are sufficient for getting an A in this class. (Finalden A almak ve kitaptaki her alistirmayi cozmek, dersten A almak icin yeterli.)

Solution:  $(p \land q) \implies r$ 

3. (10 points) Show using proof by contrapositive for any real number t that if t is irrational, then 5t is irrational. (Kontrapozitif ile ispat yontemini kullanarak her t reel sayisi icin eger t irrasyonel ise 5t'nin de irrasyonel olacagini gosterin.)

**Solution:** Assume that for some number t, 5t is rational. Then we can write 5t = a/b for some integers a and b. This implies that t = a/(5b) and thus t is rational. So, the contrapositive of this statement is true, hence the statement is true.

4. (7 points) Prove or disprove that for any integer n, if  $n^2 \equiv 0 \pmod{4}$ , then  $n \equiv 0 \pmod{4}$ . 4). (Her n tamsayisi icin eger  $n^2 \equiv 0 \pmod{4}$  ise  $n \equiv 0 \pmod{4}$  oldugunun dogru ya da yanlis oldugunu gosterin.)

**Solution:** The statement is false, for example when n = 6. Although  $6^2 = 36 \equiv 0 \pmod{4}$ ,  $6 \equiv 2 \not\equiv 0 \pmod{4}$ 

5. (12 points) Prove using induction that, for  $n \ge 1$ ,  $1 \cdot 1! + 2 \cdot 2! + \cdots + n \cdot n! = (n+1)! - 1$ . (Verilen ifadeyi her  $n \ge 1$  icin tumevarim kullanarak gosterin.)

Solution: Let P(n) be the statement given in the question. We show that P(n) is true for all  $n \ge 1$ . Base step: For n = 1, it is true that  $1 \cdot 1! = 2! - 1$ . Inductive Hypothesis (I.H.): Assume that P(n - 1) is true, so  $1 \cdot 1! + 2 \cdot 2! + \cdots + (n - 1) \cdot (n - 1)! = n! - 1$ . Inductive step: We can substitute what we have from I.H. as below:  $1 \cdot 1! + 2 \cdot 2! + \cdots + n \cdot n! = (n! - 1) + n \cdot n!$ . Since the righthand side can be simplified as  $(n!-1)+n \cdot n! = (n+1)n!-1 = (n+1)!-1$ we obtain  $1 \cdot 1! + 2 \cdot 2! + \cdots + n \cdot n! = (n! - 1) + n \cdot n! = (n + 1)n! - 1 = (n + 1)! - 1$ , hence P(n + 1) is true. 6. (12 points) Show using proof by contradiction the following statement: Let x and y be two positive integers. If xy < 36, then either x < 6 or y < 6. (Celiski ile ispat yontemini kullanarak verilen ifadenin dogrulugunu gosterin: Her x ve y pozitif tamsayisi icin, eger xy < 36 ise ya x < 6 ya da y < 6 dogrudur.)

**Solution:** Our premises are that xy < 36 and the negation of (either x < 6 or y < 6), thus  $x \ge 6$  and  $y \ge 6$ . If we multiply the two inequalities  $x \ge 6$  and  $y \ge 6$ , we obtain  $x \cdot y \ge 6 \cdot 6 = 36$ , which contradicts with the first premise. Done.

7. (12 points) Use induction to prove that for all non-negative integers n,

$$\sum_{k=0}^{n} k^2 = \frac{n(n+1)(2n+1)}{6}$$

(Yukaridaki ifadenin her en az sifir olan n tamsayisi icin dogrulugunu tumevarim kullanarak gosterin.)

Solution: Let P(n) be the statement given in the question. We show that P(n) is true for all  $n \ge 0$ . Base step: P(0) is true, since  $0^2 = 0(0+1)(0+1)/6$ . Inductive Hypothesis: Assume that P(n-1) is true, so  $\sum_{k=0}^{l} n-1)k^2 = \frac{(n-1)((n-1)+1)(2(n-1)+1)}{6} = \frac{(n-1)n(2n-1)}{6}.$ Inductive step:

We can substitute what we have from I.H. as below:

$$\sum_{k=0}^{n} k^2 = \frac{n(n+1)(2n+1)}{6} = \left(\sum_{k=0}^{(n-1)} k^2\right) + n^2 = \frac{(n-1)n(2n-1)}{6} + n^2.$$

By simplifying, we observe that the lefthand-side above equals

$$\frac{(n-1)n(2n-1)}{6} + n^2 = \frac{(n-1)n(2n-1) + 6n^2}{6} = \frac{n(2n^2 + 3n + 1)}{6} = \frac{n(n+1)(2n+1)}{6}.$$
  
Done.

8. (10 points) The Fibonacci number  $F_n$  is described as:  $F_0 = 0$ ,  $F_1 = 1$  and  $F_n = F_{n-1} + F_{n-2}$  for  $n \ge 2$ . Show by using induction that for all non-negative integers  $n, F_n$  is even if and only if n is divisible by 3. (Fibonacci sayisi yukaridaki soruda tanimlanmistir. Tumevarim kullanarak her sifirdan buyuk n tamsayisi icin,  $F_n$ 'in cift olmasinin ve n'in 3'e tam bolunebilmesinin denk kosullar oldugunu gosterin.)

Solution: See Reading for week-3 by Jeff Erickson, page 16.

9. (10 points) Show by using induction that every non-negative integer can be written as the sum of <u>distinct</u> powers of 2. (Tumevarim kullanarak her sifirdan buyuk tamsayinin 2'nin <u>farkli</u> kuvvetlerinin toplami olarak yazilabilecegini gosterin.)

Solution: See Reading for week-3 by Jeff Erickson, page 13.