

BBM402 Midterm Exam

Time: 14:00-16:00

26 November 2020

Question:	1	2	3	4	5	6	7	8	Total
Points:	14	10	12	12	18	12	24	10	112
Score:									

1. (14 points) Write down the recursion tree for the N-queens algorithm below for $n = 3$. Show the positions of the queens at each node of the recursion tree.

```

RECURSIVENQUEENS(Q[1..n], r):
  if r = n + 1
    print Q
  else
    for j ← 1 to n
      legal ← TRUE
      for i ← 1 to r - 1
        if (Q[i] = j) or (Q[i] = j + r - i) or (Q[i] = j - r + i)
          legal ← FALSE
      if legal
        Q[r] ← j
        RECURSIVENQUEENS(Q[1..n], r + 1)
    
```

2. (10 points) Let $w = 0110$ an input for a turing machine. Which of the following are not valid for given configurations? (q_i represents any state's name)

$q_1 0110 \vdash 0q_1 110$

$01q_1 10 \vdash 0q_2 110$

$011q_2 0 \vdash 0q_2 110$

$01q_1 10 \vdash 0q_2 111$

$01q_2 10 \vdash 0q_2 010$

3. (12 points) The patients at a doctor's office are waiting for their appointment. There are n patients waiting and there are estimated times corresponding to each patient's problem. So, patient i requires t_i minutes to be examined. Say, if the patients were examined in the order t_1, t_2, \dots, t_i , then the i 'th patient's waiting time would be $\sum_{k=1}^i t_k$ minutes. Let the total waiting time be T below.

$$T = \sum_{i=1}^n \text{Total waiting time for patient } i$$

- (a) Give an algorithm that would find the optimal order minimizing T .
- (b) Give a short proof showing that your algorithm indeed outputs the minimum T .
4. (12 points) If L is a decidable language, determine which of the following are true/ false.
- (a) L is recognizable
- (b) \bar{L} is recognizable
- (c) \bar{L} is decidable
- (d) There is a Turing machine that halts on all inputs, accepting every string in $*L.*$
5. (18 points) Let $X \leq_P Y$. Determine whether the following are true/ false.
- (a) X is in P
- (b) If Y is in P, then X is in P.
- (c) If X is NP-hard, then Y is NP-hard.
- (d) Y is NP-hard.
- (e) If $SAT \leq_P Y$, then X is NP-hard.
- (f) If $SAT \leq_P X$, then Y is NP-hard.
6. The recursion tree for the algorithm RecFibo has running time, the leaves are always 0 or 1.
- (a) (6 points) Use induction on n to show that there are exactly F_n 1's and F_{n-1} 0's as the leaves.
- (b) (6 points) In that case, how many intermediate nodes does this full binary tree with have? Show all your work to receive full credit.

<pre> RECFIBO(n): if ($n < 2$) return n else return RECFIBO($n - 1$) + RECFIBO($n - 2$) </pre>

7. (12 points) Determine whether the following statements are true/false for a graph G on n vertices that has an independent set with k vertices.
- (a) (3 points) The complement of G has a vertex cover with k vertices
- (b) (3 points) G has a vertex cover with $n - k$ vertices
- (c) (3 points) The complement of G has a clique with k vertices
- (d) (3 points) G has a vertex cover with k vertices

8. (10 points) Write the following formulas ϕ_1 and ϕ_2 as a 3-CNF (Conjunctive Normal Form), call them ϕ'_1 and ϕ'_2 , so that ϕ_1 is satisfiable if and only if ϕ'_1 is satisfiable, and ϕ_2 is satisfiable if and only if ϕ'_2 is satisfiable:

$$\phi_1 = (x_1 \vee x_2 \vee \neg x_4) \wedge (x_2 \vee \neg x_3) \wedge x_5$$

$$\phi_2 = x_1 \vee x_2 \vee \neg x_3 \vee x_4 \vee \neg x_5$$