

BBM402 Final Exam (Solutions)

Time: 13:00-15:00

January, 11 2021

| | | | | | | |
|-----------|----|----|----|----|----|-------|
| Question: | 1 | 2 | 3 | 4 | 5 | Total |
| Points: | 15 | 40 | 15 | 10 | 15 | 95 |
| Score: | | | | | | |

1. (15 points) Given the the initial configurations for each group,
- find the number of inversions in that configuration,
 - decide using part (a), whether the final configuration can be achieved by a sequence of legal moves . (Legal move: slide neighboring tile into blank (white) square.)

| | | | | | | | | | | | | | | | | | | | | | |
|----------|--|---|---|---|---|---|---|---|---|--|----------|--|---|---|---|---|---|---|---|---|--|
| Group-1: | <table border="1"><tr><td>1</td><td>3</td><td>2</td></tr><tr><td>5</td><td>4</td><td>8</td></tr><tr><td>6</td><td>7</td><td></td></tr></table> | 1 | 3 | 2 | 5 | 4 | 8 | 6 | 7 | | Group-2: | <table border="1"><tr><td>1</td><td>5</td><td>3</td></tr><tr><td>2</td><td>4</td><td>6</td></tr><tr><td>8</td><td>7</td><td></td></tr></table> | 1 | 5 | 3 | 2 | 4 | 6 | 8 | 7 | |
| 1 | 3 | 2 | | | | | | | | | | | | | | | | | | | |
| 5 | 4 | 8 | | | | | | | | | | | | | | | | | | | |
| 6 | 7 | | | | | | | | | | | | | | | | | | | | |
| 1 | 5 | 3 | | | | | | | | | | | | | | | | | | | |
| 2 | 4 | 6 | | | | | | | | | | | | | | | | | | | |
| 8 | 7 | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | |
|----------------------|--|---|---|---|---|---|---|---|---|--|
| Final Configuration: | <table border="1"><tr><td>1</td><td>2</td><td>3</td></tr><tr><td>4</td><td>5</td><td>6</td></tr><tr><td>7</td><td>8</td><td></td></tr></table> | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| 1 | 2 | 3 | | | | | | | | |
| 4 | 5 | 6 | | | | | | | | |
| 7 | 8 | | | | | | | | | |

Solution: In Group-1's configuration, there are four inversions as (3,2), (5,4), (8,6), (8,7). In Group-2's configuration, there are five inversions as (5,3), (5,2), (5,4), (3,2), (8,7). It is observed that one can reach final configuration if and only is the number of inversions is even. Hence, Group-1 can win, but Group-2 cannot.

2. (40 points) Determine whether the following are true or false.

Solution:

- (a) In a network flow, the amount of flow coming into a vertex is always equal to the amount of flow going out of a vertex.
 True False
- (b) The maximum network flow problem is NP-complete.
 True False
- (c) The maximum matching problem on bipartite graphs is NP-complete.
 True False
- (d) If a graph on n vertices has more than $k(n-1)$ edges, then it cannot have a vertex cover with k vertices.
 True False
- (e) If a bipartite graph has a matching with k edges, then it has a minimum vertex cover with at least k vertices.
 True False
- (f) If a bipartite graph has a vertex cover with k vertices, then it has a matching with at least k edges.
 True False
- (g) If a problem is NP-complete, then it is PSPACE-complete as well.
 True False
- (h) Greedy algorithm is very fast, but it never outputs an optimal solution for any problem.
 True False
- (i) If $\mathcal{P} = \mathcal{NP}$, then we have $\mathcal{NP} = co - \mathcal{NP}$.
 True False
- (j) One way to prove that a problem X is NP-complete is to find a reduction from the SAT problem to X.
 True False

3. (15 points) Answer the following question using the graph given for your group. Use the pricing method to give an approximate solution for the minimum weighted vertex cover of the graph for your group in Figure 1. Provide the details for each iteration step of the algorithm.




Figure 1: Group-1 and Group-2, respectively.

Solution: The solution provided for each group below is only one example chosen from several possibilities. (The vertex weights are also used as labels for simplicity.)

For Group-1's graph:

Pick the edge 0-1, making $v_x=0$ tight, the weight of (0,1) becomes 0

Pick the edge 1-7, making $v_x=1$ tight, the weight of (1,7) becomes 1

Pick the edge 2-7, making $v_x=2$ tight, the weight of (2,7) becomes 2

Pick the edge 5-6, making $v_x=5$ tight, the weight of (5,6) becomes 5

Pick the edge 3-4, making $v_x=3$ tight, the weight of (3,4) becomes 3

Pick the edge 4-8, making $v_x=4$ tight, the weight of (4,8) becomes 1

The total weight of tight vertices give weighted vertex cover with weight:

$$0+1+2+3+4+5=15$$

For Group-2's graph:

Pick the edge 0-1, making $v_x=0$ tight, the weight of (0,1) becomes 0

Pick the edge 1-7, making $v_x=1$ tight, the weight of (1,7) becomes 1

Pick the edge 2-8, making $v_x=2$ tight, the weight of (2,8) becomes 2

Pick the edge 3-5, making $v_x=3$ tight, the weight of (3,5) becomes 3

Pick the edge 4-5, making $v_x=5$ tight, the weight of (4,5) becomes 2

Pick the edge 6-7, making $v_x=6$ tight, the weight of (6,7) becomes 6

Pick the edge 7-8, making $v_x=7$ tight, the weight of (7,8) becomes 1

The total weight of tight vertices give weighted vertex cover with weight:

$$0+1+2+3+5+6+7=24.$$

4. (10 points) With at least how much probability does the contraction algorithm returns a minimum cut for the following graph?

Solution: The lower bound is $2/n^2$, where n is the number of vertices in the graph.

5. (15 points) In the class notes, we have seen that given a 3-SAT formula with k clauses, the expected number of clauses satisfied by a random assignment is $7k/8$. By using similar techniques, calculate the expected number of clauses satisfied by a random assignment in each formula below:

(a) $(x_1 \vee x_2 \vee \neg x_4) \wedge (x_2 \vee \neg x_3) \wedge (x_5 \vee \neg x_2)$

(b) $(x_3 \vee \neg x_2) \wedge (x_2 \vee \neg x_3) \wedge (x_4 \vee x_5 \vee x_1 \vee x_2)$

Solution:

(a) $E_1 + E_2 + E_3 = \left(1 - \frac{1}{8}\right) \left(1 - \frac{1}{4}\right) \left(1 - \frac{1}{4}\right) = \frac{7}{8} + \frac{3}{4} + \frac{3}{4}$.

(b) $E_1 + E_2 + E_3 = \left(1 - \frac{1}{4}\right) \left(1 - \frac{1}{4}\right) \left(1 - \frac{1}{16}\right) = \frac{3}{4} + \frac{3}{4} + \frac{15}{16}$.