
Chapter 6: Process Syncronization





Chapter 6: Process Syncronization

- Background
- The Critical-Section Problem
- Peterson's Solution
- Synchronization Hardware
- Mutex Locks
- Semaphores
- Classic Problems of Synchronization
- Monitors
- Synchronization Examples
- Alternative Approaches





Objectives

- To introduce the critical-section problem, whose solutions can be used to ensure the consistency of shared data
- To present both software and hardware solutions of the critical-section problem
- To examine several classical process-synchronization problems
- To explore several tools that are used to solve process synchronization problems





Background

- Processes can execute concurrently
 - May be interrupted at any time, partially completing execution
- Concurrent access to shared data may result in data inconsistency
- Maintaining data consistency requires mechanisms to ensure the orderly execution of cooperating processes
- Illustration of the problem: Suppose that we wanted to provide a solution to the consumer-producer problem that fills all the buffers. We can do so by having an integer counter that keeps track of the number of full buffers. Initially, counter is set to 0. It is incremented by the producer after it produces a new buffer and is decremented by the consumer after it consumes a buffer.



Producer

```
while (true) {
    /* produce an item in next produced */
    while (counter == BUFFER SIZE) ;
        /* do nothing */
    buffer[in] = next produced;
    in = (in + 1) % BUFFER SIZE;
    counter++;
}
```





Consumer

```
while (true) {
    while (counter == 0)
        ; /* do nothing */
    next consumed = buffer[out];
    out = (out + 1) % BUFFER SIZE;
    counter--;
    /* consume the item in next consumed */
}
```





Race Condition

counter++ could be implemented as

```
register1 = counter
register1 = register1 + 1
counter = register1
```

counter-- could be implemented as

```
register2 = counter
register2 = register2 - 1
counter = register2
```

Consider this execution interleaving with "count = 5" initially:

```
S0: producer execute register1 = counter {register1 = 5}
S1: producer execute register1 = register1 + 1 {register1 = 6}
S2: consumer execute register2 = counter {register2 = 5}
S3: consumer execute register2 = register2 - 1 {register2 = 4}
S4: producer execute counter = register1 {counter = 6}
S5: consumer execute counter = register2
```





Critical Section Problem

- Consider system of n processes $\{p_0, p_1, \dots p_{n-1}\}$
- Each process has critical section segment of code
 - Process may be changing common variables, updating table, writing file, etc.
 - When one process in critical section, no other may be in its critical section
- Critical section problem is to design protocol to solve this
- Each process must ask permission to enter critical section in entry section, may follow critical section with exit section, then remainder section





Critical Section

• General structure of process p_i is

```
entry section

critical section

exit section

remainder section
} while (true);
```





Solution to Critical-Section Problem

- 1. **Mutual Exclusion** If process P_i is executing in its critical section, then no other processes can be executing in their critical sections
- 2. **Progress** If no process is executing in its critical section and there exist some processes that wish to enter their critical section, then the selection of the processes that will enter the critical section next cannot be postponed indefinitely
- 3. **Bounded Waiting** A bound must exist on the number of times that other processes are allowed to enter their critical sections after a process has made a request to enter its critical section and before that request is granted
 - Assume that each process executes at a nonzero speed
 - No assumption concerning relative speed of the n processes
- Two approaches depending on if kernel is preemptive or non-preemptive
 - Preemptive allows preemption of process when running in kernel mode
 - Non-preemptive runs until exits kernel mode, blocks, or voluntarily yields CPU
 - ▶ Essentially free of race conditions in kernel mode





Peterson's Solution

- Good algorithmic description of solving the problem
- Two process solution
- Assume that the load and store instructions are atomic; that is, cannot be interrupted
- The two processes share two variables:
 - int turn;
 - Boolean flag[2]
- The variable turn indicates whose turn it is to enter the critical section
- The flag array is used to indicate if a process is ready to enter the critical section. flag[i] = true implies that process P_i is ready!





Algorithm for Process Pi

```
do {
    flag[i] = true;
    turn = j;
    while (flag[j] && turn == j);
        critical section

    flag[i] = false;
        remainder section
} while (true);
```

- Provable that
- 1. Mutual exclusion is preserved
- 2. Progress requirement is satisfied
- 3. Bounded-waiting requirement is met





Synchronization Hardware

- Many systems provide hardware support for critical section code
- All solutions below based on idea of locking
 - Protecting critical regions via locks
- Uniprocessors could disable interrupts
 - Currently running code would execute without preemption
 - Generally too inefficient on multiprocessor systems
 - Operating systems using this not broadly scalable
- Modern machines provide special atomic hardware instructions
 - Atomic = non-interruptible
 - Either test memory word and set value
 - Or swap contents of two memory words





Solution to Critical-section Problem Using Locks

```
do {
    acquire lock
        critical section
    release lock
        remainder section
} while (TRUE);
```





test_and_set Instruction

Definition:

```
boolean test_and_set (boolean *target)
{
    boolean rv = *target;
    *target = TRUE;
    return rv:
}
```





Solution using test_and_set()

- Shared boolean variable lock, initialized to FALSE
- Solution:

```
do {
   while (test_and_set(&lock))
     ; /* do nothing */
   /* critical section */
   lock = false;
   /* remainder section */
} while (true);
```






compare_and_swap Instruction

Definition:

```
int compare and swap(int *value, int expected, int new
  value) {
  int temp = *value;
  if (*value == expected)
      *value = new value;
  return temp;
}
```





Solution using compare_and_swap

- Shared Boolean variable lock initialized to FALSE; Each process has a local Boolean variable key
- Solution:

```
do {
   while (compare and swap(&lock, 0, 1) != 0)
     ; /* do nothing */
   /* critical section */
   lock = 0;
   /* remainder section */
} while (true);
```





Mutex Locks

- Previous solutions are complicated and generally inaccessible to application programmers
- OS designers build software tools to solve critical section problem
- Simplest is mutex lock
- Product critical regions with it by first acquire() a lock then release() it
 - Boolean variable indicating if lock is available or not
- Calls to acquire() and release() must be atomic
 - Usually implemented via hardware atomic instructions
- But this solution requires busy waiting
 - This lock therefore called a spinlock





acquire() and release()

```
acquire() {
   while (!available)
      ; /* busy wait */
   available = false;;
release() {
   available = true;
do {
   acquire lock
      critical section
   release lock
      remainder section
} while (true);
```





Semaphore

- Synchronization tool that does not require busy waiting
- Semaphore S integer variable
- Two standard operations modify S: wait() and signal()
 - Originally called P() and V()
- Can only be accessed via two indivisible (atomic) operations
- Original definitions of wait() and signal() proposed by Dijsktra
 - Busy waiting version





Semaphore Usage

- Counting semaphore integer value can range over an unrestricted domain
- Binary semaphore integer value can range only between 0 and 1
 - Then a mutex lock
- Can implement a counting semaphore S as a binary semaphore
- Can solve various synchronization problems
- Consider P_1 and P_2 that require S_1 to happen before S_2

```
P1:

S<sub>1</sub>;

signal(synch);

P2:

wait(synch);

S<sub>2</sub>;
```





Semaphore Implementation

- Must guarantee that no two processes can execute wait () and signal () on the same semaphore at the same time
- Thus, implementation becomes the critical section problem where the wait and signal code are placed in the critical section
 - Could now have busy waiting in critical section implementation
 - But implementation code is short
 - Little busy waiting if critical section rarely occupied
- Note that applications may spend lots of time in critical sections and therefore this is not a good solution





Semaphore Implementation with no Busy waiting

- With each semaphore there is an associated waiting queue
- Each entry in a waiting queue has two data items:
 - value (of type integer)
 - pointer to next record in the list
- Two operations:
 - block place the process invoking the operation on the appropriate waiting queue
 - wakeup remove one of processes in the waiting queue and place it in the ready queue





Semaphore Implementation with no Busy waiting (Cont.)

```
typedef struct{
   int value;
   struct process *list;
} semaphore;
wait(semaphore *S) {
   S->value--;
   if (S->value < 0) {
      add this process to S->list;
      block();
signal(semaphore *S) {
   S->value++;
   if (S->value <= 0) {
      remove a process P from S->list;
      wakeup(P);
```





Deadlock and Starvation

- Deadlock two or more processes are waiting indefinitely for an event that can be caused by only one of the waiting processes
- Let s and g be two semaphores initialized to 1

```
P_0 P_1 wait(S); wait(Q); wait(Q); wait(Q); . . . . . . signal(S); signal(Q); signal(S);
```

- Starvation indefinite blocking
 - A process may never be removed from the semaphore queue in which it is suspended
- Priority Inversion Scheduling problem when lower-priority process holds a lock needed by higher-priority process
 - Solved via priority-inheritance protocol



Classical Problems of Synchronization

- Classical problems used to test newly-proposed synchronization schemes
 - Bounded-Buffer Problem
 - Readers and Writers Problem
 - Dining-Philosophers Problem





Bounded-Buffer Problem

- **n** buffers, each can hold one item
- Semaphore mutex initialized to the value 1
- Semaphore full initialized to the value 0
- Semaphore empty initialized to the value n





Bounded Buffer Problem (Cont.)

The structure of the producer process





Bounded Buffer Problem (Cont.)

The structure of the consumer process





Readers-Writers Problem

- A data set is shared among a number of concurrent processes
 - Readers only read the data set; they do not perform any updates
 - Writers can both read and write
- Problem allow multiple readers to read at the same time
 - Only one single writer can access the shared data at the same time
- Several variations of how readers and writers are treated all involve priorities
- Shared Data
 - Data set
 - Semaphore rw mutex initialized to 1
 - Semaphore mutex initialized to 1
 - Integer read count initialized to 0





Readers-Writers Problem (Cont.)

The structure of a writer process





Readers-Writers Problem (Cont.)

The structure of a reader process

```
do {
      wait(mutex);
      read count++;
      if (read count == 1)
            wait(rw mutex);
      signal(mutex);
      /* reading is performed */
      wait(mutex);
      read count--;
      if (read count == 0)
            signal(rw mutex);
      signal(mutex);
} while (true);
```





- First variation no reader kept waiting unless writer has permission to use shared object
- Second variation once writer is ready, it performs write asap
- Both may have starvation leading to even more variations
- Problem is solved on some systems by kernel providing reader-writer locks





Dining-Philosophers Problem



- Philosophers spend their lives thinking and eating
- Don't interact with their neighbors, occasionally try to pick up 2 chopsticks (one at a time) to eat from bowl
 - Need both to eat, then release both when done
- In the case of 5 philosophers
 - Shared data
 - Bowl of rice (data set)
 - Semaphore chopstick [5] initialized to 1





Dining-Philosophers Problem Algorithm

The structure of Philosopher i:

```
do {
    wait ( chopstick[i] );
    wait ( chopStick[ (i + 1) % 5] );

    // eat

    signal ( chopstick[i] );
    signal (chopstick[ (i + 1) % 5] );

    // think
} while (TRUE);
```

What is the problem with this algorithm?





Problems with Semaphores

- Incorrect use of semaphore operations:
 - signal (mutex) wait (mutex)
 - wait (mutex) ... wait (mutex)
 - Omitting of wait (mutex) or signal (mutex) (or both)
- Deadlock and starvation





Monitors

- A high-level abstraction that provides a convenient and effective mechanism for process synchronization
- Abstract data type, internal variables only accessible by code within the procedure
- Only one process may be active within the monitor at a time
- But not powerful enough to model some synchronization schemes

```
monitor monitor-name
{
    // shared variable declarations
    procedure P1 (...) { .... }


    procedure Pn (...) { ..... }

    Initialization code (...) { ... }
    }
}
```





Schematic view of a Monitor






Condition Variables

- condition x, y;
- Two operations on a condition variable:
 - x.wait () a process that invokes the operation is suspended until x.signal ()
 - x.signal () resumes one of processes (if any) that invoked x.wait ()
 - ▶ If no x.wait () on the variable, then it has no effect on the variable





Monitor with Condition Variables





Condition Variables Choices

- If process P invokes x.signal (), with Q in x.wait () state, what should happen next?
 - If Q is resumed, then P must wait
- Options include
 - Signal and wait P waits until Q leaves monitor or waits for another condition
 - Signal and continue Q waits until P leaves the monitor or waits for another condition
 - Both have pros and cons language implementer can decide
 - Monitors implemented in Concurrent Pascal compromise
 - P executing signal immediately leaves the monitor, Q is resumed
 - Implemented in other languages including Mesa, C#, Java





Solution to Dining Philosophers

```
monitor DiningPhilosophers
   enum { THINKING; HUNGRY, EATING) state [5];
   condition self [5];
   void pickup (int i) {
        state[i] = HUNGRY;
        test(i);
        if (state[i] != EATING) self [i].wait;
   void putdown (int i) {
        state[i] = THINKING;
            // test left and right neighbors
        test((i + 4) \% 5);
        test((i + 1) \% 5);
```





Solution to Dining Philosophers (Cont.)

```
void test (int i) {
     if ( (state[(i + 4) % 5] != EATING) &&
     (state[i] == HUNGRY) &&
     (state[(i + 1) % 5] != EATING) ) {
        state[i] = EATING;
      self[i].signal();
initialization_code() {
    for (int i = 0; i < 5; i++)
    state[i] = THINKING;
```



Solution to Dining Philosophers (Cont.)

Each philosopher i invokes the operations pickup() and putdown() in the following sequence:

DiningPhilosophers.pickup (i);

EAT

DiningPhilosophers.putdown (i);

No deadlock, but starvation is possible





Monitor Implementation Using Semaphores

Variables

```
semaphore mutex; // (initially = 1)
semaphore next; // (initially = 0)
int next_count = 0;
```

Each procedure F will be replaced by

```
wait(mutex);
...
body of F;
...
if (next_count > 0)
signal(next)
else
signal(mutex);
```

Mutual exclusion within a monitor is ensured





Resuming Processes within a Monitor

- If several processes queued on condition x, and x.signal() executed, which should be resumed?
- FCFS frequently not adequate
- conditional-wait construct of the form x.wait(c)
 - Where c is priority number
 - Process with lowest number (highest priority) is scheduled next





A Monitor to Allocate Single Resource

```
monitor ResourceAllocator
    boolean busy;
    condition x;
    void acquire(int time) {
                 if (busy)
                      x.wait(time);
                 busy = TRUE;
    void release() {
                 busy = FALSE;
                 x.signal();
    initialization code() {
     busy = FALSE;
```

