Chapter 6: Process Syncronization



Operating System Concepts - 9th Edition

Silberschatz, Galvin and Gagne ©2013



Chapter 6: Process Syncronization

- Background
- The Critical-Section Problem
- Peterson's Solution
- Synchronization Hardware
- Mutex Locks
- Semaphores
- Classic Problems of Synchronization
- Monitors
- Synchronization Examples
- Alternative Approaches



Operating System Concepts - 9th Edition

5.2

Silberschatz, Galvin and Gagne ©2013



Objectives

- To introduce the critical-section problem, whose solutions can be used to ensure the consistency of shared data
- To present both software and hardware solutions of the critical-section problem
- To examine several classical process-synchronization problems
- To explore several tools that are used to solve process synchronization problems



Operating System Concepts - 9th Edition

5.3

Silberschatz, Galvin and Gagne ©2013

4

Background


- Processes can execute concurrently
 - May be interrupted at any time, partially completing execution
- Concurrent access to shared data may result in data inconsistency
- Maintaining data consistency requires mechanisms to ensure the orderly execution of cooperating processes
- Illustration of the problem:
 - Suppose that we wanted to provide a solution to the consumer-producer problem that fills **all** the buffers. We can do so by having an integer counter that keeps track of the number of full buffers. Initially, counter is set to 0. It is incremented by the producer after it produces a new buffer and is decremented by the consumer after it consumes a buffer.


Silbersehetz Gelvin and Gegne ©2012

```
while (true) {
    /* produce an item in next produced */

    while (counter == BUFFER SIZE) ;
        /* do nothing */
        buffer[in] = next produced;
        in = (in + 1) % BUFFER SIZE;
        counter++;
}
Operating System Concepts - 9th Edition

5.5 Silberschatz, Galvin and Gagne @2013
```








Critical Section Problem


- Consider system of *n* processes $\{p_0, p_1, \dots p_{n-1}\}$
- Each process has critical section segment of code
 - Process may be changing common variables, updating table, writing file, etc
 - When one process in critical section, no other may be in its critical section
- Critical section problem is to design protocol to solve this
- Each process must ask permission to enter critical section in entry section, may follow critical section with exit section, then remainder section



Operating System Concepts - 9th Edition


Siboroonate, Carrii and Cagno C2010





Solution to Critical-Section Problem 1. Mutual Exclusion - If process P_i is executing in its critical section, then no other processes can be executing in their critical sections 2. Progress - If no process is executing in its critical section and there exist some processes that wish to enter their critical section, then the selection of the processes that will enter the critical section next cannot be postponed indefinitely 3. Bounded Waiting - A bound must exist on the number of times that other processes are allowed to enter their critical sections after a process has made a request to enter its critical section and before that request is granted • Assume that each process executes at a nonzero speed • No assumption concerning relative speed of the n processes Two approaches depending on if kernel is preemptive or non-preemptive • Preemptive – allows preemption of process when running in kernel mode • Non-preemptive – runs until exits kernel mode, blocks, or voluntarily yields CPU • Essentially free of race conditions in kernel mode

Silberschatz, Galvin and Gagne @2013






Synchronization Hardware

- Many systems provide hardware support for critical section code
- All solutions below based on idea of locking
 - · Protecting critical regions via locks
- Uniprocessors could disable interrupts
 - Currently running code would execute without preemption
 - Generally too inefficient on multiprocessor systems
 - Operating systems using this not broadly scalable
- Modern machines provide special atomic hardware instructions
 - ▶ Atomic = non-interruptible
 - Either test memory word and set value
 - · Or swap contents of two memory words



Silberschatz, Galvin and Gagne ©2013







test_and_set Instruction

Definition:

```
boolean test and set (boolean *target)
      boolean rv = *target;
      *target = TRUE;
      return rv:
```






Solution using test_and_set()

- Shared boolean variable lock, initialized to FALSE
- Solution:

```
do {
  while (test and set(&lock))
      ; /* do nothing */
   /* critical section */
   lock = false;
   /* remainder section */
} while (true);
```

compare_and_swap Instruction Definition: int compare and swap(int *value, int expected, int new value) { int temp = *value; if (*value == expected) *value = new value; return temp;





Mutex Locks

- Previous solutions are complicated and generally inaccessible to application
- OS designers build software tools to solve critical section problem
- Simplest is mutex lock
- Product critical regions with it by first acquire() a lock then release() it
 - Boolean variable indicating if lock is available or not
- Calls to acquire() and release() must be atomic
 - Usually implemented via hardware atomic instructions
- But this solution requires busy waiting
 - This lock therefore called a spinlock



Silberschatz, Galvin and Gagne ©2013



```
while (!available)
      ; /* busy wait */
   available = false;;
release() {
   available = true;
  acquire lock
      critical section
  release lock
      remainder section
} while (true);
```



Semaphore

- Synchronization tool that does not require busy waiting
- Semaphore **S** integer variable
- Two standard operations modify **S**: wait() and signal()
 - Originally called P() and V()
- Can only be accessed via two indivisible (atomic) operations
- Original definitions of wait() and signal() proposed by Dijsktra
 - Busy waiting version

```
wait (S) {
                                 signal (S) {
    while (S \leq 0)
                                     S++;
       ; // busy wait
```









Semaphore Usage

- Counting semaphore integer value can range over an unrestricted domain
- Binary semaphore integer value can range only between 0 and 1
 - Then a mutex lock
- Can implement a counting semaphore **S** as a binary semaphore
- Can solve various synchronization problems
- Consider P₁ and P₂ that require S₁ to happen before S₂

```
S<sub>1</sub>;
   signal(synch);
P2:
   wait(synch);
   S2;
```





Semaphore Implementation

- Must guarantee that no two processes can execute wait () and signal () on the same semaphore at the same time
- Thus, implementation becomes the critical section problem where the wait and signal code are placed in the critical section
 - Could now have busy waiting in critical section implementation
 - > But implementation code is short
 - > Little busy waiting if critical section rarely occupied
- Note that applications may spend lots of time in critical sections and therefore this is not a good solution





Semaphore Implementation with no Busy waiting

- With each semaphore there is an associated waiting queue
- Each entry in a waiting queue has two data items:
 - value (of type integer)
 - pointer to next record in the list
- Two operations:
 - block place the process invoking the operation on the appropriate waiting queue
 - wakeup remove one of processes in the waiting queue and place it in the ready queue



Classical Problems of Synchronization Classical problems used to test newly-proposed synchronization schemes Bounded-Buffer Problem Readers and Writers Problem Dining-Philosophers Problem



Deadlock and Starvation

- Deadlock two or more processes are waiting indefinitely for an event that can be caused by only one of the waiting processes
- Let s and g be two semaphores initialized to 1

F0
wait(S);
wait(Q);
wait(Q);
.
signal(S);
signal(Q);
signal(S);
signal(S);

- Starvation indefinite blocking
 - A process may never be removed from the semaphore queue in which it is suspended
- Priority Inversion Scheduling problem when lower-priority process holds a lock needed by higher-priority process
 - Solved via priority-inheritance protocol

Operating System Concepts – 9th Edition

5.26

Silberschatz, Galvin and Gagne ©2013



Bounded-Buffer Problem


- n buffers, each can hold one item
- Semaphore mutex initialized to the value 1
- Semaphore full initialized to the value 0
- Semaphore empty initialized to the value n




Operating System Concepts - 9th Edition


5.28

Silberschatz, Galvin and Gagne ©2013




■ The structure of the consumer process








Bounded Buffer Problem (Cont.)


Readers-Writers Problem (Cont.) The structure of a reader process do { wait(mutex); read count++; if (read count == 1) wait(rw mutex); signal (mutex); ... /* reading is performed */ ... wait(mutex); read count--; if (read count == 0) signal(rw mutex); signal (mutex); } while (true); Operating System Concepts -9° Edition 5.33 Silberschatz, Galvin and Gagne ©2013


























```
Solution to Dining Philosophers
monitor DiningPhilosophers
   enum { THINKING; HUNGRY, EATING) state [5];
   condition self [5];
   void pickup (int i) {
       state[i] = HUNGRY;
       if (state[i] != EATING) self [i].wait;
   void putdown (int i) {
       state[i] = THINKING;
          // test left and right neighbors
        test((i + 4) \% 5);
        test((i + 1) \% 5);
```

```
Solution to Dining Philosophers (Cont.)
    void test (int i) {
        if ( (state[(i + 4) % 5] != EATING) &&
        (state[i] == HUNGRY) &&
        (state[(i + 1) % 5] != EATING)) {
          state[i] = EATING;
         self[i].signal();
    initialization code() {
       for (int i = 0; i < 5; i++)
       state[i] = THINKING;
```







```
monitor ResourceAllocator
{
boolean busy;
condition x;
void acquire(int time) {
    if (busy)
        x.wait(time);
    busy = TRUE;
}

void release() {
    busy = FALSE;
        x.signal();
}

initialization code() {
    busy = FALSE;
    }
}

Operating System Concepts = 9<sup>th</sup> Edition

5.48

Silberschatz, Galvin and Gagne ©2013
```