

POINTERS

Erkut ERDEM
Hacettepe University
December 2010

Content

- In this chapter, you will learn:
 - To be able to use pointers.
 - To be able to use pointers to pass arguments to functions using call by reference.
 - To understand the close relationships among pointers, arrays and strings.
 - To understand the use of pointers to functions.
 - To be able to define and use arrays of strings.

Pointers

- A pointer is a variable that contains the address of a variable.
- Pointers provide a powerful and flexible method for manipulating data in your programs; but they are difficult to master.
- Close relationship with arrays and strings

Benefits of Pointers

- Pointers allow you to reference a large data structure in a compact way.
- Pointers facilitate sharing data between different parts of a program.
 - Call-by-Reference
- *Dynamic memory allocation*: Pointers make it possible to reserve new memory during program execution.

Pointer Variable Declarations and Initialization

- Pointer variables
 - Contain memory addresses as their values
 - Normal variables contain a specific value (direct reference)

count
7

- Pointers contain address of a variable that has a specific value (indirect reference)
- Indirection – referencing a pointer value




Pointer Variable Declarations and Initialization

- Pointer declarations
 - The syntax for pointer declaration is as follows:
*type *identifier;*
e.g. **int *myPtr;**
 - Declares a pointer to an **int** (pointer of type **int ***)
 - Multiple pointers require using a ***** before each variable declaration
int *myPtr1, *myPtr2;
 - Can declare pointers to any data type
 - Initialize pointers to **0**, **NULL**, or an address
 - **0** or **NULL** – points to nothing (**NULL** preferred)

Pointer Operators

- **&** (address operator)
 - Returns the address of operand
int y = 5;
int *yPtr;
yPtr = &y; // yPtr gets address of y
- **yPtr** “points to” **y**




Pointer Operators

- ***** (indirection/dereferencing operator)
 - Returns a synonym/alias of what its operand points to
 - ***yPtr** returns **y** (because **yPtr** points to **y**)
 - ***** can be used for assignment
 - Returns alias to an object
***yPtr = 7; // changes y to 7**
 - Dereferenced pointer (operand of *****) must be an lvalue (no constants)
- ***** and **&** are inverses
 - They cancel each other out

```
int rate;
int *p_rate;

rate = 500;
p_rate = &rate;
```



```
/* Print the values */
printf("rate = %d\n", rate); /* direct access */
printf("rate = %d\n", *p_rate); /* indirect access */
```

```
/* Using the & and * operators */
```

```
#include <stdio.h>
```

```
int main()
{
    int a; /* a is an integer */
    int *aPtr; /* aPtr is a pointer to an integer */

    a = 7;
    aPtr = &a; /* aPtr set to address of a */

    printf( "The address of a is %p\nThe value of aPtr is %p", &a, aPtr );

    printf( "\n\nThe value of a is %d\nThe value of *aPtr is %d", a, *aPtr );

    return 0;
}
```

The address of a is the value of aPtr.

The * operator returns an alias to what its operand points to. aPtr points to a, so *aPtr returns a.

```
The address of a is 0012FF88
The value of aPtr is 0012FF88

The value of a is 7
The value of *aPtr is 7
```

Program Output

Pointer Operators

Operators									Associativity	Type
()	[]								left to right	highest
+	-	++	--	!	*	&	(type)		right to left	unary
*	/	%							left to right	multiplicative
+	-								left to right	additive
<	<=	>	>=						left to right	relational
==	!=								left to right	equality
&&									left to right	logical and
									left to right	logical or
?:									right to left	conditional
=	+=	-=	*=	/=	%=				right to left	assignment
,									left to right	comma

Fig. 7.5 Operator precedence.

Addressing and Dereferencing

```
int a, b, *p;

a = b = 7;
p = &a;
printf("p = %d\n", *p);

*p = 3;
printf("a = %d\n", a);

p = &b;
*p = 2 * *p - a;
printf("b = %d\n", b);
```

Program Output

```
*p = 7
a = 3
b = 11
```

Addressing and Dereferencing

```
float x, y, *p;
```

```
x = 5;  
y = 7;  
p = &x;  
y = *p;
```

Thus,

```
y = *p;  
y = *&x;  
y = x;
```

} All equivalent

Addressing and Dereferencing

Declarations and initializations		
int k=3, j=5, *p = &k, *q = &j, *r;		
double x;		
Expression	Equivalent Expression	Value
p == &k	p == (&k)	1
p = k + 7	p = (k + 7)	illegal
r = &x	r = (& x)	illegal
7 * * p / *q + 7	(((7 * (*p))) / (*q)) + 7	11
* (r = &j) *= *p	(* (r = (&j))) *= (*p)	15

Pointers to void

- `void *identifier;`
- In C, `void` represents the absence of type.
- `void` pointers are pointers that point to a value that has no specific type.
- This allows `void` pointers to point to any data type.
- The data pointed by `void` pointers cannot be directly dereferenced.
- We have to use explicit type casting before dereferencing it.

Pointers to void

```
int x = 4;  
void *q = &x;  
int *p = q;  
int i = *p;  
int j = *(int*)q;
```

Declarations	
int *p;	
float *q;	
void *v;	
Legal assignments	Illegal assignments
p = 0;	p = 1;
p = (int *) 1;	v = 1;
p = v = q;	p = q;
p = (int *) q;	

Calling Functions by Reference

- Call by reference with pointer arguments
 - Pass address of argument using & operator
 - Allows you to change actual location in memory
 - Arrays are not passed with & because the array name is already a pointer
- * operator
 - Used as alias/nickname for variable inside of function

```
void double_it( int *number )
{
    *number = 2 * ( *number );
}
```
 - ***number** used as nickname for the variable passed

Passing parameters by reference

```
void SetToZero (int var)
{
    var = 0;
}
```

• You would make the following call:
SetToZero(x);

• This function has no effect whatever. Instead, pass a pointer:

```
void SetToZero (int *ip)
{
    *ip = 0;
}
```

You would make the following call:
SetToZero(&x);

This is referred to as *call-by-reference*.

```
/* Cube a variable using call by value */
#include <stdio.h>

int CubeByValue (int n);

int main(void)
{
    int number = 5;
    printf("The original value of number is %d\n", number);
    number = CubeByValue(number);
    printf("The new value of number is %d\n", number);
    return 0;
}

int CubeByValue (int n)
{
    return (n*n*n);
}
```

```
/* Cube a variable using call-by-reference
with a pointer argument */
```

```
#include <stdio.h>
```

```
void cubeByReference( int * ); /* prototype */
```

```
int main()
```

```
{
    int number = 5;
```

```
    printf( "The original value of number is %d", number );
    cubeByReference( &number );
    printf( "\nThe new value of number is %d\n", number );
```

```
    return 0;
}
```

```
void cubeByReference( int *nPtr )
```

```
{
    *nPtr = *nPtr * *nPtr * *nPtr; /* cube number in main */
}
```

Notice that the function prototype takes a pointer to an integer (int *).

Notice how the address of **number** is given - **cubeByReference** expects a pointer (an address of a variable).

Inside **cubeByReference**, ***nPtr** is used (***nPtr** is **number**).

```
The original value of number is 5
The new value of number is 125
```

Program Output

```
/* Swapping arguments (incorrect version) */
#include <stdio.h>
```

```
void swap (int p, int q);
int main (void)
{
    int a = 3;
    int b = 7;
    printf("%d %d\n", a,b);
    swap(a,b);
    printf("%d %d\n", a, b);
    return 0;
}
```

```
void swap (int p, int q)
{
    int tmp;


    tmp = p;
    p = q;
    q = tmp;
}
```

```
/* Swapping arguments (correct version) */
#include <stdio.h>
```

```
void swap (int *p, int *q);
int main (void)
{
    int a = 3;
    int b = 7;
    printf("%d %d\n", a,b);
    swap(&a, &b);
    printf("%d %d\n", a, b);
    return 0;
}
```

```
void swap (int *p, int *q)
{
    int tmp;

    tmp = *p;
    *p = *q;
    *q = tmp;
}
```



```
/*
 * This function separates a number into three parts: a sign (+, -,
 * or blank), a whole number magnitude and a fraction part.
 * Preconditions: num is defined; signp, wholep and fracp contain
 *                addresses of memory cells where results are to be stored
 * Postconditions: function results are stored in cells pointed to by
 *                signp, wholep, and fracp
 */
```

```
void separate(double num, char *signp, int *wholep, double *fracp)
{
    double magnitude;

    if (num < 0)
        *signp = '-';
    else if (num == 0)
        *signp = ' ';
    else
        *signp = '+';

    magnitude = fabs(num);
    *wholep = floor(magnitude);
    *fracp = magnitude - *wholep;
}
```

Program Output

```
int main()
{
    double value;
    char sn;
    int whl;
    double fr;

    /* Gets data */
    printf("Enter a value to analyze:");
    scanf("%lf", &value);

    /* Separates data value in three parts */
    separate(value, &sn, &whl, &fr);

    /* Prints results */
    printf("Parts of %.4f\n sign: %c\n", value, sn);
    printf("whole number magnitude: %d\n", whl);
    printf("fractional part : %.4f\n", fr);

    return 0;
}
```

```
Enter a value to analyze:13.3
Parts of 13.3000
sign: +
whole number magnitude: 13
fractional part : 0.3000
```

```
Enter a value to analyze:-24.3
Parts of -24.3000
sign: -
whole number magnitude: 24
fractional part : 0.3000
```

Pointers and Arrays

- Arrays are implemented as pointers.
- Consider:
`double list[3];`
`&list[1]` : is the address of the second element
`&list[i]` : the address of `list[i]` which is calculated by the formula

*base address of the array + i * 8*

The Relationship between Pointers and Arrays

- Arrays and pointers are closely related
 - Array name is like a constant pointer
 - Pointers can do array subscripting operations
- Declare an array **b[5]** and a pointer **bPtr**
 - To set them equal to one another use:
`bPtr = b;`
 - The array name (**b**) is actually the address of first element of the array **b[5]**
`bPtr = &b[ 0 ]`
 - Explicitly assigns **bPtr** to address of first element of **b**

The Relationship between Pointers and Arrays

- Element **b[3]**
 - Can be accessed by `*( bPtr + 3 )`
 - Where **n** is the offset. Called pointer/offset notation
 - Can be accessed by `bptr[ 3 ]`
 - Called pointer/subscript notation
 - `bPtr[ 3 ]` same as `b[ 3 ]`
 - Can be accessed by performing pointer arithmetic on the array itself
`*( b + 3 )`

Example (cont.)

```
/* Using subscripting and pointer notations with
arrays */
#include <stdio.h>
int main(void)
{
    int i, offset, b[4]={10,20,30,40};
    int *bPtr = b;

    /* Array is printed with array subscript notation */

    for (i=0; i < 4; i++)
        printf("b[%d] = %d\n", i, b[i]);
}
```

Example (cont.)

```
/* Pointer/offset notation where the pointer is
the array name */

for (offset=0; offset < 4; offset++)
    printf("(b + %d) = %d\n", offset, *(b + offset));

/* Pointer subscript notation */
for (i=0; i < 4; i++)
    printf("bPtr[%d] = %d\n", i, bPtr[i]);

/* Pointer offset notation */
for (offset = 0; offset < 4; offset++)
    printf("(bPtr + %d) = %d\n", offset,
            *(bPtr + offset));

return 0;
}
```

Example (cont.)

```
b[ 0 ] = 10
b[ 1 ] = 20
b[ 2 ] = 30
b[ 3 ] = 40

*( b + 0 ) = 10
*( b + 1 ) = 20
*( b + 2 ) = 30
*( b + 3 ) = 40

bPtr[ 0 ] = 10
bPtr[ 1 ] = 20
bPtr[ 2 ] = 30
bPtr[ 3 ] = 40

*( bPtr + 0 ) = 10
*( bPtr + 1 ) = 20
*( bPtr + 2 ) = 30
*( bPtr + 3 ) = 40
```

Example: String Copy

```
/* Copying a string using array notation and pointer notation. */
#include <stdio.h>
void copy1( char *s1, const char *s2 );
void copy2( char *s1, const char *s2 );

int main()
{
    char string1[ 10 ];          /* create array string1 */
    char *string2 = "Hello";     /* create a pointer to a string */
    char string3[ 10 ];          /* create array string3 */
    char string4[] = "Good Bye"; /* create a pointer to a string */

    copy1( string1, string2 );
    printf( "string1 = %s\n", string1 );

    return 0;
}
```

Example

```
/* copy s2 to s1 using array notation */
void copy1( char *s1, const char *s2 )
{
    int i;
    for ( i = 0; s2[ i ] != '\0'; i++ )
        s1[ i ] = s2[ i ];
    s1[ i ] = NULL;
} /* end function copy1 */
```

Program Output

```
string1 = Hello
string3 = Good Bye
```


Bubble Sort Using Call-by-reference

- Implement bubblesort using pointers
 - Swap two elements
 - swap function must receive address (using &) of array elements
 - Array elements have call-by-value default
 - Using pointers and the * operator, swap can switch array elements

• Psuedocode

Initialize array

print data in original order

Call function bubblesort

print sorted array

Define bubblesort

Example

/ This program puts values into an array, sorts the values into ascending order, and prints the resulting array. */*

```
#include <stdio.h>
#define SIZE 10

void bubbleSort( int *array, const int size );
void swap( int *element1Ptr, int *element2Ptr );
int main() {
    /* initialize array a */
    int a[ SIZE ] = { 2, 6, 4, 8, 10, 12, 89, 68, 45, 37 };
    int i;
    printf( "Data items in original order\n" );

    for ( i = 0; i < SIZE; i++ )
        printf( "%4d", a[ i ] );

    bubbleSort( a, SIZE ); /* sort the array */
    printf( "\nData items in ascending order\n" );
}
```

Example

```
/* loop through array a */
for ( i = 0; i < SIZE; i++ )
    printf( "%4d", a[ i ] );
printf( "\n" );
return 0; /* indicates successful termination */
} /* end main */

/* sort an array of integers using bubble sort algorithm */
void bubbleSort( int *array, const int size )
{
    int pass,j;
    for ( pass = 0; pass < size - 1; pass++ )
        for ( j = 0; j < size - 1; j++ )
            /* swap adjacent elements if they are out of order */
            if ( array[ j ] > array[ j + 1 ] )
                swap( &array[ j ], &array[ j + 1 ] );
} /* end function bubbleSort */
```

Example

```
/* swap values at memory locations to which element1Ptr and
element2Ptr point */
void swap( int *element1Ptr, int *element2Ptr )
{
    int hold = *element1Ptr;
    *element1Ptr = *element2Ptr;
    *element2Ptr = hold;
} /* end function swap */
```

Data items in original order
2 6 4 8 10 12 89 68 45 37
Data items in ascending order
2 4 6 8 10 12 37 45 68 89

Program Output

sizeof function

- **sizeof**

- Returns size of operand in bytes
- For arrays: size of 1 element * number of elements
- if `sizeof( int )` equals 4 bytes, then

```
int myArray[ 10 ];
printf( "%d", sizeof( myArray ) );
```

 - will print 40

- **sizeof** can be used with

- Variable names
- Type name
- Constant values

Example

```
/* sizeof operator when used on an array name returns the number of
   bytes in the array. */
#include <stdio.h>
size_t getSize( float *ptr ); /* prototype */

int main(){
    float array[ 20 ]; /* create array */

    printf( "The number of bytes in the array is %d"
           "\nThe number of bytes returned by getSize is %d\n",
           sizeof( array ), getSize( array ) );

    return 0;
}

size_t getSize( float *ptr ) {
    return sizeof( ptr );
}
```

Program Output

```
The number of bytes in the array is 80
The number of bytes returned by getSize is 4
```

Example

```
/* Demonstrating the sizeof operator */
#include <stdio.h>

int main()
{
    char c;          /* define c */
    short s;         /* define s */
    int i;           /* define i */
    long l;          /* define l */
    float f;         /* define f */
    double d;        /* define d */
    long double ld;  /* define ld */
    int array[ 20 ]; /* initialize array */
    int *ptr = array; /* create pointer to array */
}
```

Example

```
printf( "      sizeof c = %d\\tsizeof(char) = %d"
        "\\n      sizeof s = %d\\tsizeof(short) = %d"
        "\\n      sizeof i = %d\\tsizeof(int) = %d"
        "\\n      sizeof l = %d\\tsizeof(long) = %d"
        "\\n      sizeof f = %d\\tsizeof(float) = %d"
        "\\n      sizeof d = %d\\tsizeof(double) = %d"
        "\\n      sizeof ld = %d\\tsizeof(long double) = %d"
        "\\n      sizeof array = %d"
        "\\n      sizeof ptr = %d\\n",
        sizeof c, sizeof( char ), sizeof s,
        sizeof( short ), sizeof i, sizeof( int ),
        sizeof l, sizeof( long ), sizeof f,
        sizeof( float ), sizeof d, sizeof( double ),
        sizeof ld, sizeof( long double ),
        sizeof array, sizeof ptr );

return 0;
}
```

Example

Program Output

```
sizeof c = 1      sizeof(char) = 1
sizeof s = 2      sizeof(short) = 2
sizeof i = 4      sizeof(int) = 4
sizeof l = 4      sizeof(long) = 4
sizeof f = 4      sizeof(float) = 4
sizeof d = 8      sizeof(double) = 8
sizeof ld = 8     sizeof(long double) = 8
sizeof array = 80
sizeof ptr = 4
```

Dynamic Memory Management

- **Static memory allocation:** space for the object is provided in the binary at compile-time
- **Dynamic memory allocation:** blocks of memory of arbitrary size can be requested at run-time
- The four dynamic memory management functions are malloc, calloc, realloc, and free.
- These functions are included in the header file <stdlib.h>.

Dynamic Memory Management

- `void *malloc(size_t size);`
- allocates storage for an object whose size is specified by size:
 - It returns a pointer to the allocated storage,
 - NULL if it is not possible to allocate the storage requested.
 - The allocated storage is not initialized in any way.
- **e.g.** `float *fp, fa[10];`
`fp = (float *) malloc(sizeof(fa));`
allocates the storage to hold an array of 10 floating-point elements, and assigns the pointer to this storage to fp.

Dynamic Memory Management

- `void *calloc(size_t nobj, size_t size);`
- allocates the storage for an array of nobj objects, each of size size.
 - It returns a pointer to the allocated storage,
 - NULL if it is not possible to allocate the storage requested.
 - The allocated storage is initialized to zeros.
- **e.g.** `double *dp, da[10];`
`dp=(double *) calloc(10,sizeof(double));`
allocates the storage to hold an array of 10 double values, and assigns the pointer to this storage to dp.

Dynamic Memory Management

- `void *realloc(void *p, size_t size);`
- changes the size of the object pointed to by p to size.
 - It returns a pointer to the new storage,
 - `NULL` if it is not possible to resize the object, in which case the object (*p) remains unchanged.
 - The new size may be larger (the original contents are preserved and the remaining space is uninitialized) or smaller (the contents are unchanged upto the new size) than the original size.

Dynamic Memory Management

- **e.g.**

```
char *cp;  
cp =(char *) malloc(sizeof("computer"));  
strcpy(cp, "computer");
```

cp points to an array of 9 characters containing the null-terminated string computer.

```
cp = (char *) realloc(cp, sizeof("compute"));
```

discards the trailing '\0' and makes cp point to an array of 8 characters containing the characters in computer

```
cp=(char *)realloc(cp,sizeof("computerization"));
```

cp points to an array of 16 characters, the first 9 of which contain the null-terminated string computer and the remaining 7 are uninitialized.

Dynamic Memory Management

- `void *free(void *p);`
- deallocates the storage pointed to by p, where p is a pointer to the storage previously allocated by malloc, calloc, or realloc.
- **e.g.**


```
free(fp);  
free(dp);  
free(cp);
```

Pointer Arithmetic

- Arithmetic operations can be performed on pointers
 - Increment/decrement pointer (`++` or `--`)
 - Add an integer to a pointer(`+` or `+=` , `-` or `-=`)
 - Pointers may be subtracted from each other
 - Operations meaningless unless performed on an array

Pointer Expressions and Pointer Arithmetic

- 5 element **int** array on machine with 4 byte **ints**
 - **vPtr** points to first element **v[0]**
 - i.e. location **3000** (**vPtr = 3000**)
 - **vPtr += 2;** sets **vPtr** to **3008**
 - **vPtr** points to **v[2]** (incremented by 2), but the machine has 4 byte **ints**, so it points to address **3008**



Pointer Expressions and Pointer Arithmetic

- Subtracting pointers
 - Returns number of elements from one to the other. If
 - vPtr = &v[0];**
 - vPtr2 = &v[2];** // **vPtr2 = vPtr + 2;**
 - **vPtr2 - vPtr** would produce 2
- Pointer comparison (**<**, **==**, **>**)
 - See which pointer points to the higher numbered array element
 - Also, see if a pointer points to **0**


Pointer Expressions and Pointer Arithmetic

- Pointers of the same type can be assigned to each other
 - If not the same type, a cast operator must be used
 - Exception: pointer to **void** (type **void ***)
 - Generic pointer, represents any type
 - No casting needed to convert a pointer to **void** pointer
 - **void** pointers cannot be dereferenced

Pointers

```
int a=10;
int *b;
int **c;
int d[3]={1,2,3};
```

```
b=&a;
*b=5;
c=&b;
*(*c)=8;
b=d;
*(*c)=9;
*(*c+2)=15;
```



Example: String Copy 2

```
/* Copying a string using array notation and pointer notation. */
#include <stdio.h>
void copy1( char *s1, const char *s2 );
void copy2( char *s1, const char *s2 );

int main()
{
    char string1[ 10 ];          /* create array string1 */
    char *string2 = "Hello";     /* create a pointer to a string */
    char string3[ 10 ];          /* create array string3 */
    char string4[] = "Good Bye"; /* create a pointer to a string */

    copy1( string1, string2 );
    printf( "string1 = %s\n", string1 );
    copy2( string3, string4 );
    printf( "string3 = %s\n", string3 );

    return 0;
}
```

Example

```
/* copy s2 to s1 using array notation */
void copy1( char *s1, const char *s2 )
{
    int i;
    for ( i = 0; s2[ i ] != '\0'; i++ )
        s1[ i ] = s2[ i ];
    s1[ i ] = NULL;
} /* end function copy1 */

/* copy s2 to s1 using pointer notation */
void copy2( char *s1, const char *s2 )
{
    /* loop through strings */
    for ( ; *s2 != '\0'; s1++, s2++ )
        *s1 = *s2;
    *s1 = NULL;
} /* end function copy2 */
```

Program Output

```
string1 = Hello
string3 = Good Bye
```

Example

```
/* Converting lowercase letters to uppercase letters using a non-constant
   pointer to non-constant data */

#include <stdio.h>
#include <ctype.h>

void convertToUppercase( char *sPtr );

int main()
{
    char string[] = "characters and $32.98"; /* initialize char array */

    printf( "The string before conversion is: %s", string );
    convertToUppercase( string );
    printf( "\nThe string after conversion is: %s\n", string );

    return 0; /* indicates successful termination */
} /* end main */
```

Example

```
/* convert string to uppercase letters */
void convertToUppercase( char *sPtr )
{
    while ( *sPtr != '\0' ) {
        if ( islower( *sPtr ) ) { /* if character is lowercase, */
            *sPtr = toupper( *sPtr ); /* convert to uppercase */
        }
        ++sPtr; /* move sPtr to the next character */
    }
} /* end function convertToUppercase */
```

```
The string before conversion is: characters and $32.98
The string after conversion is: CHARACTERS AND $32.98
```

Program Output

Example

```
int SumIntegerArray(int *ip, int n)
{
    int i, sum;
    sum = 0;
    for (i=0; i < n; i++) {
        sum += *ip++;
    }
    return sum;
}
```

Assume

```
int sum, list[5];
```

are declared in the main function. We can make the following function call:

```
sum = SumIntegerArray(list, 5);
```

Example

```
#include<stdio.h>
#include<stdlib.h>

int main(void) {
    int *array, *p;
    int i,no_elements;
    printf("Enter number of elements: ");
    scanf("%d",&no_elements);

    printf("Enter the elements: ");
    array = ( int* )malloc( no_elements*sizeof( int ) );
    for(p=array,i=0; i<no_elements; i++, p++)
        scanf("%d",p);

    printf("Elements: ");
    for(p=array,i=0; i<no_elements; i++, p++)
        printf("%d ",*p);
    printf("\n");
}
```

Example

```
array = ( int* )realloc(array, (no_elements+2)*sizeof( int ) );

printf("Enter two new elements: ");
for(p=array,i=0; i<no_elements; i++, p++) ;

for(; i<no_elements+2; i++, p++)
    scanf("%d",p);

printf("Elements: ");
for(p=array,i=0; i<no_elements+2; i++, p++)
    printf("%d ",*p);
printf("\n");

free(array);
return 0;
}
```

```
Enter number of elements: 4
Enter the elements: 2 3 4 5
Elements: 2 3 4 5
Enter two new elements: 6 7
Elements: 2 3 4 5 6 7
```

Program Output

Using the const Qualifier with Pointers**

- **const** qualifier
 - Variable cannot be changed
 - Use **const** if function does not need to change a variable
 - Attempting to change a **const** variable produces an error
- **const** pointers
 - Point to a constant memory location
 - Must be initialized when defined
 - **int *const myPtr = &x;**
 - Type **int *const** – constant pointer to an **int**
 - **const int *myPtr = &x;**
 - Regular pointer to a **const int**
 - **const int *const Ptr = &x;**
 - **const** pointer to a **const int**
 - **x** can be changed, but not ***Ptr**

Example

```
/* Printing a string one character at a time using a non-constant pointer
to constant data */

#include <stdio.h>

void printCharacters( const char *sPtr );

int main()
{
    /* initialize char array */
    char string[] = "print characters of a string";

    printf( "The string is:\n" );
    printCharacters( string );
    printf( "\n" );

    return 0;
}
```

Example

```
/* sPtr cannot modify the character to which it points, i.e.,
sPtr is a "read-only" pointer */

void printCharacters( const char *sPtr )
{
    /* loop through entire string */
    for ( ; *sPtr != '\0'; sPtr++ )
        printf( "%c", *sPtr );
} /* end function printCharacters */
```

The string is:
print characters of a string

Program Output

Example

```
/*Attempting to modify data through a non-constant pointer to constant data.*/
#include <stdio.h>

void f( const int *xPtr ); /* prototype */

int main()
{
    int y;      /* define y */
    f( &y );    /* f attempts illegal modification */
    return 0;   /* indicates successful termination */
} /* end main */

/* xPtr cannot be used to modify the value of the variable to which it
points */
void f( const int *xPtr )
{
    *xPtr = 100; /* error: cannot modify a const object */
} /* end function f */
```

Syntax error: l-value specifies const object

Example

```
/* Attempting to modify a constant pointer to non-constant data */
#include <stdio.h>

int main()
{
    int x; /* define x */
    int y; /* define y */

    /* ptr is a constant pointer to an integer variable, i.e., it cannot be modified
    through ptr, but ptr always points to the same memory location */
    int * const ptr = &x;

    *ptr = 7; /* allowed: *ptr is not const */
    ptr = &y; /* error: ptr is const; cannot assign new address */

    return 0;
} /* end main */
```

Changing *ptr is allowed – x
is not a constant.

Changing ptr is an error –
ptr is a constant pointer.

Syntax error: l-value specifies const object

Example

```
/* Attempting to modify a constant pointer to constant data. */
#include <stdio.h>

int main() {
    int x = 5; /* initialize x */
    int y;     /* define y */

    /* ptr is a constant pointer to a constant integer. ptr always points to
       the same location; the integer at that location cannot be modified */
    const int *const ptr = &x;
    printf( "%d\n", *ptr );

    *ptr = 7; /* error: *ptr is const; cannot assign new value */
    ptr = &y; /* error: ptr is const; cannot assign new address */

    return 0; /* indicates successful termination */
} /* end main */
```


Syntax error: assignment of read-only location
syntax error: assignment of read-only variable 'ptr'

Arrays of Pointers

- Arrays can contain pointers
- For example: an array of strings

```
char *suit[ 4 ] = { "Hearts", "Diamonds",
                    "Clubs", "Spades" };
```

 - Strings are pointers to the first character
 - char * – each element of `suit` is a pointer to a char
 - The strings are not actually stored in the array `suit`, only pointers to the strings are stored



- `suit` array has a fixed size, but strings can be of any size