

BBM 202 - ALGORITHMS



HACETTEPE UNIVERSITY

DEPT. OF COMPUTER ENGINEERING

DIRECTED GRAPHS

Mar. 31, 2016


Acknowledgement: The course slides are adapted from the slides prepared by R. Sedgwick and K. Wayne of Princeton University.

TODAY

- ▶ **Directed Graphs**
- ▶ **Digraph API**
- ▶ **Digraph search**
- ▶ **Topological sort**
- ▶ **Strong components**


Directed graphs

Digraph. Set of vertices connected pairwise by **directed** edges.



Road network

Vertex = intersection; edge = one-way street.



©2008 Google - Map data ©2008 Sanborn, NAVTEQ™ - Terms of Use

Digraph applications

digraph	vertex	directed edge
transportation	street intersection	one-way street
web	web page	hyperlink
food web	species	predator-prey relationship
WordNet	synset	hypernym
scheduling	task	precedence constraint
financial	bank	transaction
cell phone	person	placed call
infectious disease	person	infection
game	board position	legal move
citation	journal article	citation
object graph	object	pointer
inheritance hierarchy	class	inherits from
control flow	code block	jump

Some digraph problems

Path. Is there a directed path from s to t ?


Shortest path. What is the shortest directed path from s to t ?

Topological sort. Can you draw the digraph so that all edges point upwards?

Strong connectivity. Is there a directed path between all pairs of vertices?

Transitive closure. For which vertices v and w is there a path from v to w ?

PageRank. What is the importance of a web page?



DIRECTED GRAPHS

- ▶ **Digraph API**
- ▶ Digraph search
- ▶ Topological sort
- ▶ Strong components

Digraph API

```
public class Digraph
```

<pre> Digraph(int V)</pre>	<i>create an empty digraph with V vertices</i>
<pre> Digraph(In in)</pre>	<i>create a digraph from input stream</i>
<pre> void addEdge(int v, int w)</pre>	<i>add a directed edge v→w</i>
<pre> Iterable<Integer> adj(int v)</pre>	<i>vertices pointing from v</i>
<pre> int V()</pre>	<i>number of vertices</i>
<pre> int E()</pre>	<i>number of edges</i>
<pre> Digraph reverse()</pre>	<i>reverse of this digraph</i>
<pre> String toString()</pre>	<i>string representation</i>

```
In in = new In(args[0]);  
Digraph G = new Digraph(in);  
  
for (int v = 0; v < G.V(); v++)  
    for (int w : G.adj(v))  
        StdOut.println(v + "->" + w);
```

← **read digraph from
input stream**


← **print out each
edge (once)**

Digraph API

tinyDG.txt

V → 13
22 ← *E*

```
4 2
2 3
3 2
6 0
0 1
2 0
11 12
12 9
9 10
9 11
7 9
10 12
11 4
4 3
3 5
6 8
8 6
:
```



```
% java Digraph tinyDG.txt
0->5
0->1
2->0
2->3
3->5
3->2
4->3
4->2
5->4
:
11->4
11->12
12-9
```

```
In in = new In(args[0]);
Digraph G = new Digraph(in);



for (int v = 0; v < G.V(); v++)
    for (int w : G.adj(v))
        StdOut.println(v + "->" + w);
```

← read digraph from
input stream

← print out each
edge (once)

Adjacency-lists digraph representation

Maintain vertex-indexed array of lists.



Adjacency-lists graph representation: Java implementation

```
public class Graph  
{
```

```
    private final int V;  
    private final Bag<Integer>[] adj;
```

← adjacency lists

```
    public Graph(int V)
```

```
    {  
        this.V = V;  
        adj = (Bag<Integer>[]) new Bag[V];  
        for (int v = 0; v < V; v++)  
            adj[v] = new Bag<Integer>();  
    }
```

← create empty graph
with V vertices

```
    public void addEdge(int v, int w)
```

```
    {  
        adj[v].add(w);  
        adj[w].add(v);  
    }
```

← add edge v-w

```
    public Iterable<Integer> adj(int v)
```

```
    { return adj[v]; }
```

← iterator for vertices
adjacent to v

```
}
```

Adjacency-lists digraph representation: Java implementation

```
public class Digraph  
{
```

```
    private final int V;  
    private final Bag<Integer>[] adj;
```

← adjacency lists

```
    public Digraph(int V)
```

```
    {  
        this.V = V;  
        adj = (Bag<Integer>[]) new Bag[V];  
        for (int v = 0; v < V; v++)  
            adj[v] = new Bag<Integer>();  
    }
```

← create empty digraph
with V vertices

```
    public void addEdge(int v, int w)
```

```
    {  
        adj[v].add(w);  
    }
```

← add edge $v \rightarrow w$

```
    public Iterable<Integer> adj(int v)
```

```
    { return adj[v]; }
```

← iterator for vertices
pointing from v


```
}
```

Digraph representations

In practice. Use adjacency-lists representation.

- Algorithms based on iterating over vertices pointing from v .
- Real-world digraphs tend to be sparse.

huge number of vertices,
small average vertex degree



representation	space	insert edge from v to w	edge from v to w ?	iterate over vertices pointing from v ?
list of edges	E	1	E	E
adjacency matrix	V^2	1 †	1	V
adjacency lists	$E + V$	1	outdegree(v)	outdegree(v)


† disallows parallel edges

DIRECTED GRAPHS

- ▶ Digraph API
- ▶ **Digraph search**
- ▶ Topological sort
- ▶ Strong components

Reachability

Problem. Find all vertices reachable from s along a directed path.



Depth-first search in digraphs


Same method as for undirected graphs.

- Every undirected graph is a digraph (with edges in both directions).
- DFS is a **digraph** algorithm.

DFS (to visit a vertex v)

Mark v as visited.


Recursively visit all unmarked
vertices w pointing from v .



Depth-first search

To visit a vertex v :

- Mark vertex v as visited.
- Recursively visit all unmarked vertices pointing from v .




a directed graph

- 4→2
- 2→3
- 3→2
- 6→0
- 0→1
- 2→0
- 11→12
- 12→9
- 9→10
- 9→11
- 8→9
- 10→12
- 11→4
- 4→3
- 3→5
- 6→8
- 8→6
- 5→4
- 0→5
- 6→4
- 6→9
- 7→6

Depth-first search

To visit a vertex v :

- Mark vertex v as visited.
- Recursively visit all unmarked vertices pointing from v .



reachable from 0

reachable
from vertex 0

v	marked[]	edgeTo[]
0	T	-
1	T	0
2	T	3
3	T	4
4	T	5
5	T	0
6	F	-
7	F	-
8	F	-
9	F	-
10	F	-
11	F	-
12	F	-

Depth-first search (in undirected graphs)

Recall code for **undirected** graphs.

```
public class DepthFirstSearch
```

```
{
```

```
    private boolean[] marked;
```

← true if path to s

```
    public DepthFirstSearch(Graph G, int s)
```

```
    {
```

```
        marked = new boolean[G.V()];
```

← constructor marks
vertices connected to s

```
        dfs(G, s);
```

```
    }
```

```
    private void dfs(Graph G, int v)
```

```
    {
```

```
        marked[v] = true;
```

```
        for (int w : G.adj(v))
```

```
            if (!marked[w]) dfs(G, w);
```

← recursive DFS does the work

```
    }
```

```
    public boolean visited(int v)
```

```
    { return marked[v]; }
```

← client can ask whether any
vertex is connected to s

```
}
```

Depth-first search (in directed graphs)

Code for **directed** graphs identical to undirected one.

[substitute `Digraph` for `Graph`]

```
public class DirectedDFS
{
    private boolean[] marked;

    public DirectedDFS(Digraph G, int s)
    {
        marked = new boolean[G.V()];
        dfs(G, s);
    }

    private void dfs(Digraph G, int v)
    {
        marked[v] = true;
        for (int w : G.adj(v))
            if (!marked[w]) dfs(G, w);
    }

    public boolean visited(int v)
    { return marked[v]; }
}
```

← true if path from s

← constructor marks vertices reachable from s

← recursive DFS does the work

← client can ask whether any vertex is reachable from s


Reachability application: mark-sweep garbage collector

Every data structure is a digraph.

- Vertex = object.
- Edge = reference.

Roots. Objects known to be directly accessible by program (e.g., stack).

Reachable objects. Objects indirectly accessible by program (starting at a root and following a chain of pointers).




Reachability application: mark-sweep garbage collector

Mark-sweep algorithm. [McCarthy, 1960]

- Mark: mark all reachable objects.
- Sweep: if object is unmarked, it is garbage (so add to free list).

Memory cost. Uses 1 extra mark bit per object (plus DFS stack).



Depth-first search in digraphs summary

DFS enables direct solution of simple digraph problems.

- ✓ • Reachability.
- Path finding.
- Topological sort.
- Directed cycle detection.

Basis for solving difficult digraph problems.

- 2-satisfiability.
- Directed Euler path.
- Strongly-connected components.

SIAM J. COMPUT.
Vol. 1, No. 2, June 1972

DEPTH-FIRST SEARCH AND LINEAR GRAPH ALGORITHMS*

ROBERT TARJAN†

Abstract. The value of depth-first search or “backtracking” as a technique for solving problems is illustrated by two examples. An improved version of an algorithm for finding the strongly connected components of a directed graph and an algorithm for finding the biconnected components of an undirect graph are presented. The space and time requirements of both algorithms are bounded by $k_1V + k_2E + k_3$ for some constants k_1, k_2 , and k_3 , where V is the number of vertices and E is the number of edges of the graph being examined.

Breadth-first search in digraphs

Same method as for undirected graphs.


- Every undirected graph is a digraph (with edges in both directions).
- BFS is a **digraph** algorithm.

BFS (from source vertex s)

Put s onto a FIFO queue, and mark s as visited.

Repeat until the queue is empty:

- remove the least recently added vertex v
 - for each unmarked vertex pointing from v :
add to queue and mark as visited.
-




Proposition. BFS computes shortest paths (fewest number of edges) from s to all other vertices in a digraph in time proportional to $E+V$.

Multiple-source shortest paths

Multiple-source shortest paths. Given a digraph and a **set** of source vertices, find shortest path from any vertex in the set to each other vertex.

Ex. $S = \{ 1, 7, 10 \}$.

- Shortest path to 4 is $7 \rightarrow 6 \rightarrow 4$.
- Shortest path to 5 is $7 \rightarrow 6 \rightarrow 0 \rightarrow 5$.
- Shortest path to 12 is $10 \rightarrow 12$.



Q. How to implement multi-source constructor?

A. Use BFS, but initialize by enqueueing all source vertices.

Breadth-first search in digraphs application: web crawler


Goal. Crawl web, starting from some root web page, say www.princeton.edu.

Solution. BFS with implicit graph.

BFS.

- Choose root web page as source s .
- Maintain a `queue` of websites to explore.
- Maintain a `SET` of discovered websites.
- Dequeue the next website and enqueue websites to which it links (provided you haven't done so before).

Q. Why not use DFS?



Bare-bones web crawler: Java implementation

```
Queue<String> queue = new Queue<String>();  
SET<String> discovered = new SET<String>();
```

← queue of websites to crawl
← set of discovered websites

```
String root = "http://www.princeton.edu";  
queue.enqueue(root);  
discovered.add(root);
```

← start crawling from root website

```
while (!queue.isEmpty())  
{
```

```
    String v = queue.dequeue();  
    StdOut.println(v);  
    In in = new In(v);  
    String input = in.readAll();
```

← read in raw html from next
website in queue

```
    String regexp = "http://(\\w+\\.)* (\\w+)";  
    Pattern pattern = Pattern.compile(regexp);  
    Matcher matcher = pattern.matcher(input);  
    while (matcher.find())
```

← use regular expression to find all URLs
in website of form `http://xxx.yyy.zzz`
[crude pattern misses relative URLs]

```
    {  
        String w = matcher.group();  
        if (!discovered.contains(w))  
        {  
            discovered.add(w);  
            queue.enqueue(w);  
        }  
    }
```

← if undiscovered, mark it as discovered
and put on queue

```
    }  
}
```

DIRECTED GRAPHS

- ▶ Digraph API
- ▶ Digraph search
- ▶ **Topological sort**
- ▶ Strong components


Precedence scheduling

Goal. Given a set of tasks to be completed with precedence constraints, in which order should we schedule the tasks?


Digraph model. vertex = task; edge = precedence constraint.

0. Algorithms
1. Complexity Theory
2. Artificial Intelligence
3. Intro to CS
4. Cryptography
5. Scientific Computing
6. Advanced Programming

tasks



precedence constraint graph



feasible schedule


Topological sort

DAG. Directed **acyclic** graph.


Topological sort. Redraw DAG so all edges point upwards.

0 → 5	0 → 2
0 → 1	3 → 6
3 → 5	3 → 4
5 → 2	6 → 4
6 → 0	3 → 2
1 → 4	

directed edges



DAG




topological order

Solution. DFS. What else?

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




0→5
0→2
0→1
3→6
3→5
3→4
5→4
6→4
6→0
3→2
1→4

a directed acyclic graph

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

visit 0: check 1, check 2, and check 5

Topological sort algorithm


- Run depth-first search.
- Return vertices in reverse postorder.



visit 1: check 4

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




visit 4

postorder

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

4

4 done

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

4

visit 1

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

4 1

1 done

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

4 1

visit 0: check 1, check 2, and check 5

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

4 1

visit 2

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

4 1 2

2 done

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

4 1 2

visit 0: check 1, check 2, and check 5

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

4 1 2

visit 5: check 2

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

4 1 2

visit 5

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

4 1 2 5

5 done

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

4 1 2 5

visit 0

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

4 1 2 5 0

0 done

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

4 1 2 5 0

check 1

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

4 1 2 5 0

check 2

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

4 1 2 5 0

visit 3: check 2, check 4, check 5, and check 6

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

4 1 2 5 0

visit 3: check 2, check 4, check 5, and check 6

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

4 1 2 5 0

visit 3: check 2, check 4, **check 5**, and check 6

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

4 1 2 5 0

visit 3: check 2, check 4, check 5, and **check 6**

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

4 1 2 5 0

visit 6: check 0 and check 4

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

4 1 2 5 0

visit 6: check 0 and check 4

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

4 1 2 5 0 6

6 done

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

4 1 2 5 0 6

visit 3

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

4 1 2 5 0 6 3

3 done

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

4 1 2 5 0 6 3

check 4

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

4 1 2 5 0 6 3

check 5

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.




postorder

4 1 2 5 0 6 3

check 6

Topological sort algorithm

- Run depth-first search.
- Return vertices in reverse postorder.



postorder

4 1 2 5 0 6 3

topological order

3 6 0 5 2 1 4

done

Depth-first search order

```
public class DepthFirstOrder
{
    private boolean[] marked;
    private Stack<Integer> reversePost;

    public DepthFirstOrder(Digraph G)
    {
        reversePost = new Stack<Integer>();
        marked = new boolean[G.V()];
        for (int v = 0; v < G.V(); v++)
            if (!marked[v]) dfs(G, v);
    }

    private void dfs(Digraph G, int v)
    {
        marked[v] = true;
        for (int w : G.adj(v))
            if (!marked[w]) dfs(G, w);
        reversePost.push(v);
    }

    public Iterable<Integer> reversePost()
    { return reversePost; }
}
```

← returns all vertices in
“reverse DFS postorder”

Topological sort in a DAG: correctness proof

Proposition. Reverse DFS postorder of a DAG is a topological order.

Pf. Consider any edge $v \rightarrow w$. When $\text{dfs}(v)$ is called:

- Case 1: $\text{dfs}(w)$ has already been called and returned.

Thus, w was done before v .

- Case 2: $\text{dfs}(w)$ has not yet been called.

$\text{dfs}(w)$ will get called directly or indirectly by $\text{dfs}(v)$ and will finish before $\text{dfs}(v)$.

Thus, w will be done before v .

- Case 3: $\text{dfs}(w)$ has already been called, but has not yet returned.

Can't happen in a DAG: function call stack contains path from w to v , so $v \rightarrow w$ would complete a cycle.

```
dfs(0)
  dfs(1)
    dfs(4)
    4 done
  1 done
  dfs(2)
  2 done
  dfs(5)
    check 2
  5 done
0 done
check 1
check 2
Ex: → dfs(3)
     check 2
case 1 → check 4
        → check 5
case 2 → dfs(6)
        → 6 done
        3 done
        check 4
        check 5
        check 6
        done
```


all vertices pointing from 3 are done before 3 is done,
so they appear after 3 in topological order

Directed cycle detection

Proposition. A digraph has a topological order iff no directed cycle.

Pf.

- If directed cycle, topological order impossible.
- If no directed cycle, DFS-based algorithm finds a topological order.



a digraph with a directed cycle

Goal. Given a digraph, find a directed cycle.

Solution. DFS. What else? See textbook.

Directed cycle detection application: precedence scheduling

Scheduling. Given a set of tasks to be completed with precedence constraints, in what order should we schedule the tasks?

PAGE 3

DEPARTMENT	COURSE	DESCRIPTION	PREREQS
COMPUTER SCIENCE	CPSC 432	INTERMEDIATE COMPILER DESIGN, WITH A FOCUS ON DEPENDENCY RESOLUTION.	CPSC 432

<http://xkcd.com/754>

Remark. A directed cycle implies scheduling problem is infeasible.

Directed cycle detection application: cyclic inheritance

The Java compiler does cycle detection.

```
public class A extends B
{
    ...
}
```


```
public class B extends C
{
    ...
}
```

```
public class C extends A
{
    ...
}
```

```
% javac A.java
A.java:1: cyclic inheritance
involving A
public class A extends B { }
                ^
1 error
```

Directed cycle detection application: spreadsheet recalculation

Microsoft Excel does cycle detection (and has a circular reference toolbar!)



Directed cycle detection applications

- Causalities.
- Email loops.
- Compilation units.
- Class inheritance.
- Course prerequisites.
- Deadlocking detection.
- Precedence scheduling.
- Temporal dependencies.
- Pipeline of computing jobs.
- Check for symbolic link loop.
- Evaluate formula in spreadsheet.

DIRECTED GRAPHS

- ▶ Digraph API
- ▶ Digraph search
- ▶ Topological sort
- ▶ **Strong components**


Strongly-connected components

Def. Vertices v and w are **strongly connected** if there is a directed path from v to w **and** a directed path from w to v .






Key property. Strong connectivity is an **equivalence relation**:

- v is strongly connected to v .
- If v is strongly connected to w , then w is strongly connected to v .
- If v is strongly connected to w and w to x , then v is strongly connected to x .

Def. A **strong component** is a maximal subset of strongly-connected vertices.




Examples of strongly-connected digraphs



Connected components vs. strongly-connected components

- v and w are **connected** if there is a path between v and w




connected component id (easy to compute with DFS)

	0	1	2	3	4	5	6	7	8	9	10	11	12
cc[]	0	0	0	0	0	0	1	1	1	2	2	2	2

```
public int connected(int v, int w)
{ return cc[v] == cc[w]; }
```

constant-time client connectivity query

- v and w are **strongly connected** if there is a directed path from v to w and a directed path from w to v



strongly-connected component id (how to compute?)


	0	1	2	3	4	5	6	7	8	9	10	11	12
scc[]	1	0	1	1	1	1	3	4	3	2	2	2	2

```
public int stronglyConnected(int v, int w)
{ return scc[v] == scc[w]; }
```

constant-time client strong-connectivity query

Strong component application: ecological food webs

Food web graph. Vertex = species; edge = from producer to consumer.



<http://www.twingroves.district96.k12.il.us/Wetlands/Salamander/SalGraphics/salfoodweb.gif>

Strong component. Subset of species with common energy flow.

Strong components algorithms: brief history

1960s: Core OR problem.

- Widely studied; some practical algorithms.
- Complexity not understood.

1972: linear-time DFS algorithm (Tarjan).

- Classic algorithm.
- Level of difficulty: Algs4++.
- Demonstrated broad applicability and importance of DFS.

1980s: easy two-pass linear-time algorithm (Kosaraju-Sharir).

- Forgot notes for lecture; developed algorithm in order to teach it!
- Later found in Russian scientific literature (1972).

1990s: more easy linear-time algorithms.

- Gabow: fixed old OR algorithm.
- Cheriyan-Mehlhorn: needed one-pass algorithm for LEDA.

Kosaraju's algorithm: intuition


Reverse graph. Strong components in G are same as in G^R .

Kernel DAG. Contract each strong component into a single vertex.


Idea.

how to compute?
↙

- Compute topological order (reverse postorder) in kernel DAG.
- Run DFS, considering vertices in reverse topological order.



digraph G and its strong components




kernel DAG of G (in reverse topological order)

KOSARAJU'S ALGORITHM


- ▶ **DFS in reverse graph**
- ▶ **DFS in original graph**

Phase I. Compute reverse postorder in G^R .



digraph G

Phase I. Compute reverse postorder in G^R .




v	marked[v]
0	-
1	-
2	-
3	-
4	-
5	-
6	-
7	-
8	-
9	-
10	-
11	-
12	-

reverse digraph G^R

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .




v	marked[v]
0	T
1	F
2	F
3	F
4	F
5	F
6	F
7	F
8	F
9	F
10	F
11	F
12	F

visit 0: check 6 and check 2

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .




v	marked[v]
0	T
1	F
2	F
3	F
4	F
5	F
6	T
7	F
8	F
9	F
10	F
11	F
12	F

visit 6: check 8 and check 7

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .




v	marked[v]
0	T
1	F
2	F
3	F
4	F
5	F
6	T
7	F
8	T
9	F
10	F
11	F
12	F

visit 8: check 6

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

8




v	marked[v]
0	T
1	F
2	F
3	F
4	F
5	F
6	T
7	T
8	T
9	F
10	F
11	F
12	F

visit 7

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

7 8




v	marked[v]
0	T
1	F
2	F
3	F
4	F
5	F
6	T
7	T
8	T
9	F
10	F
11	F
12	F

7 done

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

⑥ 7 8




v	marked[v]
0	T
1	F
2	F
3	F
4	F
5	F
6	T
7	T
8	T
9	F
10	F
11	F
12	F

6 done

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

6 7 8




v	marked[v]
0	T
1	F
2	T
3	F
4	F
5	F
6	T
7	T
8	T
9	F
10	F
11	F
12	F

visit 2: check 4 and check 3

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

6 7 8




v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	F
6	T
7	T
8	T
9	F
10	F
11	F
12	F

visit 4: check 11, check 6, and check 5

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

6 7 8




v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	F
6	T
7	T
8	T
9	F
10	F
11	T
12	F

visit 11: check 9

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

6 7 8




v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	F
6	T
7	T
8	T
9	T
10	F
11	T
12	T

visit 12: check 11 and check 10

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

6 7 8




v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	F
6	T
7	T
8	T
9	T
10	F
11	T
12	T

visit 12: check 11 and check 10

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

6 7 8




v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	F
6	T
7	T
8	T
9	T
10	T
11	T
12	T

visit 10: check 9

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

10 6 7 8




10 done

v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	F
6	T
7	T
8	T
9	T
10	T
11	T
12	T

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

12 10 6 7 8




12 done

v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	F
6	T
7	T
8	T
9	T
10	T
11	T
12	T

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

12 10 6 7 8




v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	F
6	T
7	T
8	T
9	T
10	T
11	T
12	T

visit 9: check 12, check 7, and check 6

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

12 10 6 7 8




v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	F
6	T
7	T
8	T
9	T
10	T
11	T
12	T

visit 9: check 12, check 7, and check 6

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

9 12 10 6 7 8




v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	F
6	T
7	T
8	T
9	T
10	T
11	T
12	T

9 done

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

11 9 12 10 6 7 8




v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	F
6	T
7	T
8	T
9	T
10	T
11	T
12	T

11 done

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

11 9 12 10 6 7 8




v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	F
6	T
7	T
8	T
9	T
10	T
11	T
12	T

visit 4: check 11, check 6, and check 5

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

11 9 12 10 6 7 8




v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	F
6	T
7	T
8	T
9	T
10	T
11	T
12	T

visit 4: check 11, check 6, and check 5

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

11 9 12 10 6 7 8




v	marked[v]
0	T
1	F
2	T
3	F
4	T
5	T
6	T
7	T
8	T
9	T
10	T
11	T
12	T

visit 5: check 3 and check 0

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

11 9 12 10 6 7 8




v	marked[v]
0	T
1	F
2	T
3	T
4	T
5	T
6	T
7	T
8	T
9	T
10	T
11	T
12	T

visit 3: check 4 and check 2

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

11 9 12 10 6 7 8




v	marked[v]
0	T
1	F
2	T
3	T
4	T
5	T
6	T
7	T
8	T
9	T
10	T
11	T
12	T

visit 3: check 4 and check 2

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

3 11 9 12 10 6 7 8




v	marked[v]
0	T
1	F
2	T
3	T
4	T
5	T
6	T
7	T
8	T
9	T
10	T
11	T
12	T

3 done

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

3 11 9 12 10 6 7 8




v	marked[v]
0	T
1	F
2	T
3	T
4	T
5	T
6	T
7	T
8	T
9	T
10	T
11	T
12	T

visit 5: check 3 and check 0

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

5 3 11 9 12 10 6 7 8




5 done

v	marked[v]
0	T
1	F
2	T
3	T
4	T
5	T
6	T
7	T
8	T
9	T
10	T
11	T
12	T

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

④ 5 3 11 9 12 10 6 7 8




v	marked[v]
0	T
1	F
2	T
3	T
4	T
5	T
6	T
7	T
8	T
9	T
10	T
11	T
12	T

4 done

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

4 5 3 11 9 12 10 6 7 8




v	marked[v]
0	T
1	F
2	T
3	T
4	T
5	T
6	T
7	T
8	T
9	T
10	T
11	T
12	T

visit 2: check 4 and check 3

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

② 4 5 3 11 9 12 10 6 7 8




v	marked[v]
0	T
1	F
2	T
3	T
4	T
5	T
6	T
7	T
8	T
9	T
10	T
11	T
12	T

2 done

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

0 2 4 5 3 11 9 12 10 6 7 8




v	marked[v]
0	T
1	F
2	T
3	T
4	T
5	T
6	T
7	T
8	T
9	T
10	T
11	T
12	T

0 done

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

0 2 4 5 3 11 9 12 10 6 7 8




v	marked[v]
0	T
1	T
2	T
3	T
4	T
5	T
6	T
7	T
8	T
9	T
10	T
11	T
12	T

visit 1: check 0

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

① 0 2 4 5 3 11 9 12 10 6 7 8




v	marked[v]
0	T
1	T
2	T
3	T
4	T
5	T
6	T
7	T
8	T
9	T
10	T
11	T
12	T

1 done

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

1 0 2 4 5 3 11 9 12 10 6 7 8




v	marked[v]
0	T
1	T
2	T
3	T
4	T
5	T
6	T
7	T
8	T
9	T
10	T
11	T
12	T

check 2 3 4 5 6 7 8 9 10 11 12

Kosaraju-Sharir

Phase I. Compute reverse postorder in G^R .

1 0 2 4 5 3 11 9 12 10 6 7 8




reverse digraph G^R

Kosaraju's algorithm


Simple (but mysterious) algorithm for computing strong components.

- Run DFS on G^R to compute reverse postorder.
- Run DFS on G , considering vertices in order given by first DFS.

DFS in reverse digraph G^R



check unmarked vertices in the order
0 1 2 3 4 5 6 7 8 9 10 11 12



reverse postorder for use in second dfs()
1 0 2 4 5 3 11 9 12 10 6 7 8

```

dfs(0)
| dfs(6)
| | dfs(8)
| | | check 6
| | | 8 done
| | | dfs(7)
| | | 7 done
| | | 6 done
| | | dfs(2)
| | | | dfs(4)
| | | | | dfs(11)
| | | | | | dfs(9)
| | | | | | | dfs(12)
| | | | | | | | check 11
| | | | | | | | dfs(10)
| | | | | | | | | check 9
| | | | | | | | | 10 done
| | | | | | | | | 12 done
| | | | | | | | | check 7
| | | | | | | | | check 6
| | | | | | | | | ...


```

KOSARAJU'S ALGORITHM

- ▶ DFS in reverse graph
- ▶ **DFS in original graph**

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R .
1 0 2 4 5 3 11 9 12 10 6 7 8




original digraph G

v	scc[v]
0	-
1	-
2	-
3	-
4	-
5	-
6	-
7	-
8	-
9	-
10	-
11	-
12	-

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . **1** 0 2 4 5 3 11 9 12 10 6 7 8




v	scc[v]
0	-
1	0
2	-
3	-
4	-
5	-
6	-
7	-
8	-
9	-
10	-
11	-
12	-

visit 1

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . **1** 0 2 4 5 3 11 9 12 10 6 7 8




v	scc[v]
0	-
1	0
2	-
3	-
4	-
5	-
6	-
7	-
8	-
9	-
10	-
11	-
12	-

1 done

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . **1** 0 2 4 5 3 11 9 12 10 6 7 8




v	scc[v]
0	-
1	0
2	-
3	-
4	-
5	-
6	-
7	-
8	-
9	-
10	-
11	-
12	-

strong component: 1

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 **0** 2 4 5 3 11 9 12 10 6 7 8




v	scc[v]
0	1
1	0
2	-
3	-
4	-
5	-
6	-
7	-
8	-
9	-
10	-
11	-
12	-

visit 0: check 5 and check 1

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 **0** 2 4 5 3 11 9 12 10 6 7 8




v	scc[v]
0	1
1	0
2	-
3	-
4	-
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

visit 5: check 4

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 **0** 2 4 5 3 11 9 12 10 6 7 8




v	scc[v]
0	1
1	0
2	-
3	-
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

visit 4: check 3 and check 2

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 **0** 2 4 5 3 11 9 12 10 6 7 8




v	scc[v]
0	1
1	0
2	-
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

visit 3: check 5 and check 2

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 **0** 2 4 5 3 11 9 12 10 6 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

visit 2: check 0 and check 3

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 **0** 2 4 5 3 11 9 12 10 6 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

2 done

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 **0** 2 4 5 3 11 9 12 10 6 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

visit 4: check 3 and check 2

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 **0** 2 4 5 3 11 9 12 10 6 7 8




5 done

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 **0** 2 4 5 3 11 9 12 10 6 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

visit 0: check 5 and **check 1**

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 **0** 2 4 5 3 11 9 12 10 6 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

0 done

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 **0** 2 4 5 3 11 9 12 10 6 7 8




strong component: 0 2 3 4 5

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 **2** 4 5 3 11 9 12 10 6 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

check 2

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

check 4

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 **5** 3 11 9 12 10 6 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

check 5

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 **3** 11 9 12 10 6 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	-
12	-

check 3

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 **11** 9 12 10 6 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	2
12	-

visit 11: check 4 and check 12

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 **11** 9 12 10 6 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	2
12	-

visit 11: check 4 and check 12

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 **11** 9 12 10 6 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	-
10	-
11	2
12	2

visit 12: check 9

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 **11** 9 12 10 6 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	2
10	2
11	2
12	2

visit 10: check 12

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 **11** 9 12 10 6 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	2
10	2
11	2
12	2

10 done

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 **11** 9 12 10 6 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	2
10	2
11	2
12	2

9 done

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 **11** 9 12 10 6 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	2
10	2
11	2
12	2

12 done

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 **11** 9 12 10 6 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	2
10	2
11	2
12	2

11 done

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 **11** 9 12 10 6 7 8




strong component: 9 10 11 12

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	2
10	2
11	2
12	2

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 **9** 12 10 6 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	2
10	2
11	2
12	2

check 9

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 **12** 10 6 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	2
10	2
11	2
12	2

check 12

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 **10** 6 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	-
7	-
8	-
9	2
10	2
11	2
12	2

check 10

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 **6** 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	3
7	-
8	-
9	2
10	2
11	2
12	2

visit 6: check 9, check 4, check 8, and check 0

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 **6** 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	3
7	-
8	-
9	2
10	2
11	2
12	2

visit 6: check 9, check 4, check 8, and check 0

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 **6** 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	3
7	-
8	-
9	2
10	2
11	2
12	2

visit 6: check 9, check 4, **check 8**, and check 0

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 **6** 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	3
7	-
8	3
9	2
10	2
11	2
12	2

visit 8: check 6

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 **6** 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	3
7	-
8	3
9	2
10	2
11	2
12	2

visit 6: check 9, check 4, check 8, and **check 0**

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 **6** 7 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	3
7	-
8	3
9	2
10	2
11	2
12	2

6 done

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 **6** 7 8




strong component: 6 8

v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	3
7	-
8	3
9	2
10	2
11	2
12	2

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 **7** 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	3
7	4
8	3
9	2
10	2
11	2
12	2

visit 7: check 6 and check 9

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 **7** 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	3
7	4
8	3
9	2
10	2
11	2
12	2

visit 7: check 6 and check 9

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 **7** 8




<u>v</u>	<u>scc[v]</u>
0	1
1	0
2	1
3	1
4	1
5	1
6	3
7	4
8	3
9	2
10	2
11	2
12	2

7 done

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 **7** 8




v	scc[v]
0	1
1	0
2	1
3	1
4	1
5	1
6	3
7	4
8	3
9	2
10	2
11	2
12	2

strong component: 7

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R . 1 0 2 4 5 3 11 9 12 10 6 7 **8**




<u>v</u>	<u>scc[v]</u>
0	1
1	0
2	1
3	1
4	1
5	1
6	3
7	4
8	3
9	2
10	2
11	2
12	2

check 8

Kosaraju-Sharir

Phase 2. Run DFS in G , visiting unmarked vertices in reverse postorder of G^R .

1 0 2 4 5 3 11 9 12 10 6 7 8



<u>v</u>	<u>scc[v]</u>
0	1
1	0
2	1
3	1
4	1
5	1
6	3
7	4
8	3
9	2
10	2
11	2
12	2


done

Kosaraju's algorithm


Simple (but mysterious) algorithm for computing strong components.

- Run DFS on G^R to compute reverse postorder.
- Run DFS on G , considering vertices in order given by first DFS.

DFS in original digraph G



check unmarked vertices in the order
1 0 2 4 5 3 11 9 12 10 6 7 8



```

dfs(1)
1 done

dfs(0)
  dfs(5)
    dfs(4)
      dfs(3)
        check 5
      dfs(2)
        check 0
        check 3
        2 done
      3 done
      check 2
    4 done
  5 done
  check 1
0 done
check 2
check 4
check 5
check 3

dfs(11)
  check 4
  dfs(12)
    dfs(9)
      check 11
      dfs(10)
        check 12
        10 done
      9 done
    12 done
  11 done
  check 9
  check 12
  check 10

dfs(6)
  check 9
  check 4
  dfs(8)
    check 6
    8 done
  check 0
  6 done

dfs(7)
  check 6
  check 9
  7 done
  check 8
  
```

Proposition. Second DFS gives strong components. (!!)

Connected components in an undirected graph (with DFS)

```
public class CC
{
    private boolean marked[];
    private int[] id;
    private int count;

    public CC(Graph G)
    {
        marked = new boolean[G.V()];
        id = new int[G.V()];

        for (int v = 0; v < G.V(); v++)
        {
            if (!marked[v])
            {
                dfs(G, v);
                count++;
            }
        }

        private void dfs(Graph G, int v)
        {
            marked[v] = true;
            id[v] = count;
            for (int w : G.adj(v))
                if (!marked[w])
                    dfs(G, w);
        }

        public boolean connected(int v, int w)
        { return id[v] == id[w]; }
    }
}
```

Strong components in a digraph (with two DFSs)

```
public class KosarajuSCC
{
    private boolean marked[];
    private int[] id;
    private int count;


    public KosarajuSCC(Digraph G)
    {
        marked = new boolean[G.V()];
        id = new int[G.V()];
        DepthFirstOrder dfs = new DepthFirstOrder(G.reverse());
        for (int v : dfs.reversePost())
        {
            if (!marked[v])
            {
                dfs(G, v);
                count++;
            }
        }

        private void dfs(Digraph G, int v)
        {
            marked[v] = true;
            id[v] = count;
            for (int w : G.adj(v))
                if (!marked[w])
                    dfs(G, w);
        }

        public boolean stronglyConnected(int v, int w)
        { return id[v] == id[w]; }
    }
}
```


Digraph-processing summary: algorithms of the day

single-source
reachability




DFS

topological sort
(DAG)



DFS

strong
components



Kosaraju
DFS (twice)