

Exceptional Control Flow

Fall 2012

Instructors:

Aykut & Erkut Erdem


Acknowledgement: The course slides are adapted from the slides prepared by D.R. O'Hallaron, G. Ganger and G. Kesden of Carnegie-Mellon Univ.

Today

- **Exceptional Control Flow**
- Processes
- Multitasking, shells
- Signals
- Nonlocal jumps

Control Flow

- **Processors do only one thing:**
 - From startup to shutdown, a CPU simply reads and executes (interprets) a sequence of instructions, one at a time
 - This sequence is the CPU's *control flow* (or *flow of control*)



Altering the Control Flow

- **Up to now: two mechanisms for changing control flow:**
 - Jumps and branches
 - Call and returnBoth react to changes in *program state*

- **Insufficient for a useful system:**
Difficult to react to changes in *system state*
 - data arrives from a disk or a network adapter
 - instruction divides by zero
 - user hits Ctrl-C at the keyboard
 - System timer expires


- **System needs mechanisms for “exceptional control flow”**

Exceptional Control Flow

- **Exists at all levels of a computer system**
- **Low level mechanisms**
 - Exceptions
 - change in control flow in response to a system event (i.e., change in system state)
 - Combination of hardware and OS software
- **Higher level mechanisms**
 - Process context switch
 - Signals
 - Nonlocal jumps: `setjmp()/longjmp()`
 - Implemented by either:
 - OS software (context switch and signals)
 - C language runtime library (nonlocal jumps)


Exceptions

- An **exception** is a transfer of control to the OS in response to some *event* (i.e., change in processor state)



- **Examples:**
div by 0, arithmetic overflow, page fault, I/O request completes, Ctrl-C

Exception Tables



- Each type of event has a unique exception number k
- k = index into exception table (a.k.a. interrupt vector)
- Handler k is called each time exception k occurs

Asynchronous Exceptions (Interrupts)

- **Caused by events external to the processor**
 - Indicated by setting the processor's interrupt pin
 - Handler returns to "next" instruction

- **Examples:**
 - I/O interrupts
 - hitting Ctrl-C at the keyboard
 - arrival of a packet from a network
 - arrival of data from a disk
 - Hard reset interrupt
 - hitting the reset button
 - Soft reset interrupt
 - hitting Ctrl-Alt-Delete on a PC

Synchronous Exceptions

- **Caused by events that occur as a result of executing an instruction:**
 - ***Traps***
 - Intentional
 - Examples: ***system calls***, breakpoint traps, special instructions
 - Returns control to “next” instruction
 - ***Faults***
 - Unintentional but possibly recoverable
 - Examples: page faults (recoverable), protection faults (unrecoverable), floating point exceptions
 - Either re-executes faulting (“current”) instruction or aborts
 - ***Aborts***
 - unintentional and unrecoverable
 - Examples: parity error, machine check
 - Aborts current program


Trap Example: Opening File

- User calls: `open(filename, options)`
- Function `open` executes system call instruction `int`

```

0804d070 <__libc_open>:
. . .
804d082:      cd 80          int     $0x80
804d084:      5b            pop    %ebx
. . .

```




- OS must find or create file, get it ready for reading or writing
- Returns integer file descriptor

Fault Example: Page Fault

- User writes to memory location
- That portion (page) of user's memory is currently on disk

```
int a[1000];
main ()
{
    a[500] = 13;
}
```

```
80483b7:      c7 05 10 9d 04 08 0d  movl   $0xd,0x8049d10
```




- Page handler must load page into physical memory
- Returns to faulting instruction
- Successful on second try

Fault Example: Invalid Memory Reference

```
int a[1000];
main ()
{
    a[5000] = 13;
}
```

```
80483b7:    c7 05 60 e3 04 08 0d  movl    $0xd,0x804e360
```



- Page handler detects invalid address
- Sends **SIGSEGV** signal to user process
- User process exits with “segmentation fault”

Exception Table IA32 (Excerpt)

<i>Exception Number</i>	<i>Description</i>	<i>Exception Class</i>
0	Divide error	Fault
13	General protection fault	Fault
14	Page fault	Fault
18	Machine check	Abort
32-127	OS-defined	Interrupt or trap
128 (0x80)	System call	Trap
129-255	OS-defined	Interrupt or trap

Check Table 6-1:

<http://download.intel.com/design/processor/manuals/253665.pdf>

Today

- Exceptional Control Flow
- **Processes**
- Multitasking, shells
- Signals
- Nonlocal jumps

Processes


- **Definition: A *process* is an instance of a running program.**
 - One of the most profound ideas in computer science
 - Not the same as “program” or “processor”

- **Process provides each program with two key abstractions:**
 - Logical control flow
 - Each program seems to have exclusive use of the CPU
 - Private virtual address space
 - Each program seems to have exclusive use of main memory

- **How are these Illusions maintained?**
 - Process executions interleaved (multitasking) or run on separate cores
 - Address spaces managed by virtual memory system
 - we’ll talk about this in a couple of weeks


Concurrent Processes

- Two processes *run concurrently* (are concurrent) if their flows overlap in time
- Otherwise, they are *sequential*
- Examples (running on single core):
 - Concurrent: A & B, A & C
 - Sequential: B & C




User View of Concurrent Processes

- Control flows for concurrent processes are physically disjoint in time
- However, we can think of concurrent processes as running in parallel with each other



Context Switching

- Processes are managed by a shared chunk of OS code called the *kernel*
 - Important: the kernel is not a separate process, but rather runs as part of some user process
- Control flow passes from one process to another via a *context switch*



fork: Creating New Processes

■ `int fork(void)`

- creates a new process (child process) that is identical to the calling process (parent process)
- returns 0 to the child process
- returns child's `pid` (process id) to the parent process

```
pid_t pid = fork();
if (pid == 0) {
    printf("hello from child\n");
} else {
    printf("hello from parent\n");
}
```

- Fork is interesting (and often confusing) because it is called *once* but returns *twice*

Understanding fork

Process n

➔

```
pid_t pid = fork();
if (pid == 0) {
    printf("hello from child\n");
} else {
    printf("hello from parent\n");
}
```

➔

pid = m

```
pid_t pid = fork();
if (pid == 0) {
    printf("hello from child\n");
} else {
    printf("hello from parent\n");
}
```

➔

```
pid_t pid = fork();
if (pid == 0) {
    printf("hello from child\n");
} else {
    printf("hello from parent\n");
}
```

Child Process m

➔

```
pid_t pid = fork();
if (pid == 0) {
    printf("hello from child\n");
} else {
    printf("hello from parent\n");
}
```

➔

pid = 0

```
pid_t pid = fork();
if (pid == 0) {
    printf("hello from child\n");
} else {
    printf("hello from parent\n");
}
```

➔

```
pid_t pid = fork();
if (pid == 0) {
    printf("hello from child\n");
} else {
    printf("hello from parent\n");
}
```

hello from parent

Which one is first?

hello from child

Fork Example #1


- **Parent and child both run same code**
 - Distinguish parent from child by return value from `fork`
- **Start with same state, but each has private copy**
 - Including shared output file descriptor
 - Relative ordering of their print statements undefined

```
void fork1()
{
    int x = 1;
    pid_t pid = fork();
    if (pid == 0) {
        printf("Child has x = %d\n", ++x);
    } else {
        printf("Parent has x = %d\n", --x);
    }
    printf("Bye from process %d with x = %d\n", getpid(), x);
}
```

Fork Example #2

- Two consecutive forks

```
void fork2()
{
    printf("L0\n");
    fork();
    printf("L1\n");
    fork();
    printf("Bye\n");
}
```




Fork Example #3

- Three consecutive forks

```

void fork3()
{
    printf("L0\n");
    fork();
    printf("L1\n");
    fork();
    printf("L2\n");
    fork();
    printf("Bye\n");
}
    
```




Fork Example #4

- Nested forks in parent

```

void fork4()
{
    printf("L0\n");
    if (fork() != 0) {
        printf("L1\n");
        if (fork() != 0) {
            printf("L2\n");
            fork();
        }
    }
    printf("Bye\n");
}
    
```




Fork Example #5

- Nested forks in children

```

void fork5()
{
    printf("L0\n");
    if (fork() == 0) {
        printf("L1\n");
        if (fork() == 0) {
            printf("L2\n");
            fork();
        }
    }
    printf("Bye\n");
}

```



exit: Ending a process

- `void exit(int status)`
 - exits a process
 - Normally return with status 0
 - `atexit()` registers functions to be executed upon exit

```
void cleanup(void) {
    printf("cleaning up\n");
}

void fork6() {
    atexit(cleanup);
    fork();
    exit(0);
}
```

Zombies

■ Idea

- When process terminates, still consumes system resources
 - Various tables maintained by OS
- Called a “zombie”
 - Living corpse, half alive and half dead

■ Reaping

- Performed by parent on terminated child (using `wait` or `waitpid`)
- Parent is given exit status information
- Kernel discards process

■ What if parent doesn't reap?

- If any parent terminates without reaping a child, then child will be reaped by `init` process (`pid == 1`)
- So, only need explicit reaping in long-running processes
 - e.g., shells and servers

Zombie Example

```
linux> ./forks 7 &
[1] 6639
Running Parent, PID = 6639
Terminating Child, PID = 6640
linux> ps
  PID TTY          TIME CMD
 6585 ttyp9        00:00:00 tcsh
 6639 ttyp9        00:00:03 forks
 6640 ttyp9        00:00:00 forks <defunct>
 6641 ttyp9        00:00:00 ps
linux> kill 6639
[1]    Terminated
linux> ps
  PID TTY          TIME CMD
 6585 ttyp9        00:00:00 tcsh
 6642 ttyp9        00:00:00 ps
```

```
void fork7()
{
    if (fork() == 0) {
        /* Child */
        printf("Terminating Child, PID = %d\n",
            getpid());
        exit(0);
    } else {
        printf("Running Parent, PID = %d\n",
            getpid());
        while (1)
            ; /* Infinite loop */
    }
}
```

- `ps` shows child process as “defunct”
- Killing parent allows child to be reaped by `init`

Nonterminating Child Example

```
void fork8()
{
    if (fork() == 0) {
        /* Child */
        printf("Running Child, PID = %d\n",
            getpid());
        while (1)
            ; /* Infinite loop */
    } else {
        printf("Terminating Parent, PID = %d\n",
            getpid());
        exit(0);
    }
}
```

```
linux> ./forks 8
Terminating Parent, PID = 6675
Running Child, PID = 6676
linux> ps
  PID TTY          TIME CMD
 6585 ttyp9        00:00:00 tcsh
 6676 ttyp9        00:00:06 forks
 6677 ttyp9        00:00:00 ps
linux> kill 6676
linux> ps
  PID TTY          TIME CMD
 6585 ttyp9        00:00:00 tcsh
 6678 ttyp9        00:00:00 ps
```

- Child process still active even though parent has terminated
- Must kill explicitly, or else will keep running indefinitely


`wait`: Synchronizing with Children

- Parent reaps child by calling the `wait` function
- `int wait(int *child_status)`
 - suspends current process until one of its children terminates
 - return value is the `pid` of the child process that terminated
 - if `child_status != NULL`, then the object it points to will be set to a status indicating why the child process terminated

wait: Synchronizing with Children

```
void fork9() {
    int child_status;

    if (fork() == 0) {
        printf("HC: hello from child\n");
    }
    else {
        printf("HP: hello from parent\n");
        wait(&child_status);
        printf("CT: child has terminated\n");
    }
    printf("Bye\n");
    exit();
}
```



wait () Example

- If multiple children completed, will take in arbitrary order
- Can use macros WIFEXITED and WEXITSTATUS to get information about exit status

```
void fork10 ()
{
    pid_t pid[N];
    int i;
    int child_status;
    for (i = 0; i < N; i++)
        if ((pid[i] = fork()) == 0)
            exit(100+i); /* Child */
    for (i = 0; i < N; i++) {
        pid_t wpid = wait(&child_status);
        if (WIFEXITED(child_status))
            printf("Child %d terminated with exit status %d\n",
                wpid, WEXITSTATUS(child_status));
        else
            printf("Child %d terminate abnormally\n", wpid);
    }
}
```


waitpid() : Waiting for a Specific Process


■ waitpid(pid, &status, options)

- suspends current process until specific process terminates
- various options (see textbook)

```
void fork11()
{
    pid_t pid[N];
    int i;
    int child_status;
    for (i = 0; i < N; i++)
        if ((pid[i] = fork()) == 0)
            exit(100+i); /* Child */
    for (i = N-1; i >= 0; i--) {
        pid_t wpid = waitpid(pid[i], &child_status, 0);
        if (WIFEXITED(child_status))
            printf("Child %d terminated with exit status %d\n",
                wpid, WEXITSTATUS(child_status));
        else
            printf("Child %d terminated abnormally\n", wpid);
    }
}
```

execve: Loading and Running Programs

- `int execve(`
`char *filename,`
`char *argv[],`
`char *envp[]`
`)`
- **Loads and runs in current process:**
 - Executable `filename`
 - With argument list `argv`
 - And environment variable list `envp`
- **Does not return (unless error)**
- **Overwrites code, data, and stack**
 - keeps pid, open files and signal context
- **Environment variables:**
 - “name=value” strings
 - `getenv` and `putenv`




execve Example

```

if ((pid = Fork()) == 0) { /* Child runs user job */
    if (execve(argv[0], argv, environ) < 0) {
        printf("%s: Command not found.\n", argv[0]);
        exit(0);
    }
}

```



Summary

■ Exceptions

- Events that require nonstandard control flow
- Generated externally (interrupts) or internally (traps and faults)

■ Processes

- At any given time, system has multiple active processes
- Only one can execute at a time on a single core, though
- Each process appears to have total control of processor + private memory space

Summary (cont.)

- **Spawning processes**
 - Call `fork`
 - One call, two returns
- **Process completion**
 - Call `exit`
 - One call, no return
- **Reaping and waiting for processes**
 - Call `wait` or `waitpid`
- **Loading and running programs**
 - Call `execve` (or variant)
 - One call, (normally) no return

ECF Exists at All Levels of a System

■ Exceptions

- Hardware and operating system kernel software

■ Process Context Switch

- Hardware timer and kernel software

■ Signals

- Kernel software and application software

■ Nonlocal jumps

- Application code

Today

- Exceptional Control Flow
- Processes
- **Multitasking, shells**
- Signals
- Nonlocal jumps

The World of Multitasking

- **System runs many processes concurrently**
- **Process: executing program**
 - State includes memory image + register values + program counter
- **Regularly switches from one process to another**
 - Suspend process when it needs I/O resource or timer event occurs
 - Resume process when I/O available or given scheduling priority
- **Appears to user(s) as if all processes executing simultaneously**
 - Even though most systems can only execute one process at a time
 - Except possibly with lower performance than if running alone

Programmer's Model of Multitasking


■ Basic functions

- **fork** spawns new process
 - Called once, returns twice
- **exit** terminates own process
 - Called once, never returns
 - Puts it into “zombie” status
- **wait** and **waitpid** wait for and reap terminated children
- **execve** runs new program in existing process
 - Called once, (normally) never returns

■ Programming challenge

- Understanding the nonstandard semantics of the functions
- Avoiding improper use of system resources
 - E.g. “Fork bombs” can disable a system

Unix Process Hierarchy



Shell Programs

- A *shell* is an application program that runs programs on behalf of the user.
 - **sh** Original Unix shell (Stephen Bourne, AT&T Bell Labs, 1977)
 - **csh** BSD Unix C shell (**tcsh**: enhanced **csh** at CMU and elsewhere)
 - **bash** "Bourne-Again" Shell

```
int main() {
    char cmdline[MAXLINE];

    while (1) {
        /* read */
        printf("> ");
        Fgets(cmdline, MAXLINE, stdin);
        if (feof(stdin))
            exit(0);

        /* evaluate */
        eval(cmdline);
    }
}
```

Execution is a sequence of read/evaluate steps

Simple Shell eval Function

```
void eval(char *cmdline) {
    char *argv[MAXARGS]; /* argv for execve() */
    int bg;               /* should the job run in bg or fg? */
    pid_t pid;           /* process id */

    bg = parseline(cmdline, argv);
    if (!builtin_command(argv)) {
        if ((pid = Fork()) == 0) { /* child runs user job */
            if (execve(argv[0], argv, environ) < 0) {
                printf("%s: Command not found.\n", argv[0]);
                exit(0);
            }
        }

        if (!bg) { /* parent waits for fg job to terminate */
            int status;
            if (waitpid(pid, &status, 0) < 0)
                unix_error("waitfg: waitpid error");
        }
        else /* otherwise, don't wait for bg job */
            printf("%d %s", pid, cmdline);
    }
}
```

What Is a “Background Job”?

- **Users generally run one command at a time**
 - Type command, read output, type another command
- **Some programs run “for a long time”**
 - Example: “delete this file in two hours”

```
unix> sleep 7200; rm /tmp/junk # shell stuck for 2 hours
```

- **A “background” job is a process we don't want to wait for**

```
unix> (sleep 7200 ; rm /tmp/junk) &  
[1] 907  
unix> # ready for next command
```

Problem with Simple Shell Example

- Our example shell correctly waits for and reaps foreground jobs
- But what about background jobs?
 - Will become zombies when they terminate
 - Will never be reaped because shell (typically) will not terminate
 - Will create a memory leak that could run the kernel out of memory
 - Modern Unix: once you exceed your process quota, your shell can't run any new commands for you: `fork()` returns -1

```
unix> limit maxproc          # csh syntax
maxproc          202752
unix> ulimit -u             # bash syntax
202752
```

ECF to the Rescue!

■ Problem

- The shell doesn't know when a background job will finish
- By nature, it could happen at any time
- The shell's regular control flow can't reap exited background processes in a timely fashion
- Regular control flow is “wait until running job completes, then reap it”

■ Solution: Exceptional control flow

- The kernel will interrupt regular processing to alert us when a background process completes
- In Unix, the alert mechanism is called a *signal*

Today

- Exceptional Control Flow
- Processes
- Multitasking, shells
- **Signals**
- Nonlocal jumps

Signals

- A **signal** is a small message that notifies a process that an event of some type has occurred in the system
 - akin to exceptions and interrupts
 - sent from the kernel (sometimes at the request of another process) to a process
 - signal type is identified by small integer ID's (1-30)
 - only information in a signal is its ID and the fact that it arrived

<i>ID</i>	<i>Name</i>	<i>Default Action</i>	<i>Corresponding Event</i>
2	SIGINT	Terminate	Interrupt (e.g., ctl-c from keyboard)
9	SIGKILL	Terminate	Kill program (cannot override or ignore)
11	SIGSEGV	Terminate & Dump	Segmentation violation
14	SIGALRM	Terminate	Timer signal
17	SIGCHLD	Ignore	Child stopped or terminated

Sending a Signal

- Kernel *sends* (delivers) a signal to a *destination process* by updating some state in the context of the destination process
- Kernel sends a signal for one of the following reasons:
 - Kernel has detected a system event such as divide-by-zero (SIGFPE) or the termination of a child process (SIGCHLD)
 - Another process has invoked the `kill` system call to explicitly request the kernel to send a signal to the destination process

Receiving a Signal

- A destination process *receives* a signal when it is forced by the kernel to react in some way to the delivery of the signal
- Three possible ways to react:
 - *Ignore* the signal (do nothing)
 - *Terminate* the process (with optional core dump)
 - *Catch* the signal by executing a user-level function called *signal handler*
 - Akin to a hardware exception handler being called in response to an asynchronous interrupt

Pending and Blocked Signals

- A signal is *pending* if sent but not yet received
 - There can be at most one pending signal of any particular type
 - Important: Signals are not queued
 - If a process has a pending signal of type k, then subsequent signals of type k that are sent to that process are discarded

- A process can *block* the receipt of certain signals
 - Blocked signals can be delivered, but will not be received until the signal is unblocked


- A pending signal is received at most once

Signal Concepts

- Kernel maintains **pending** and **blocked** bit vectors in the context of each process
 - **pending**: represents the set of pending signals
 - Kernel sets bit k in **pending** when a signal of type k is delivered
 - Kernel clears bit k in **pending** when a signal of type k is received
 - **blocked**: represents the set of blocked signals
 - Can be set and cleared by using the **sigprocmask** function

Process Groups

- Every process belongs to exactly one process group



Sending Signals with `/bin/kill` Program

- `/bin/kill` program sends arbitrary signal to a process or process group

- Examples

- `/bin/kill -9 24818`
Send SIGKILL to process 24818
- `/bin/kill -9 -24817`
Send SIGKILL to every process in process group 24817

```
linux> ./forks 16
Child1: pid=24818 pgrp=24817
Child2: pid=24819 pgrp=24817
```


```
linux> ps
  PID TTY          TIME CMD
 24788 pts/2        00:00:00 tcsh
 24818 pts/2        00:00:02 forks
 24819 pts/2        00:00:02 forks
 24820 pts/2        00:00:00 ps
```

```
linux> /bin/kill -9 -24817
```

```
linux> ps
  PID TTY          TIME CMD
 24788 pts/2        00:00:00 tcsh
 24823 pts/2        00:00:00 ps
linux>
```

Sending Signals from the Keyboard

- Typing ctrl-c (ctrl-z) sends a SIGINT (SIGTSTP) to every job in the foreground process group.
 - SIGINT – default action is to terminate each process
 - SIGTSTP – default action is to stop (suspend) each process



Example of `ctrl-c` and `ctrl-z`

```
bluefish> ./forks 17
Child: pid=28108 pgrp=28107
Parent: pid=28107 pgrp=28107
<types ctrl-z>
Suspended
bluefish> ps w
  PID TTY          STAT       TIME COMMAND
 27699 pts/8        Ss          0:00   -tcsh
 28107 pts/8        T           0:01   ./forks 17
 28108 pts/8        T           0:01   ./forks 17
 28109 pts/8        R+          0:00   ps w
bluefish> fg
./forks 17
<types ctrl-c>
bluefish> ps w
  PID TTY          STAT       TIME COMMAND
 27699 pts/8        Ss          0:00   -tcsh
 28110 pts/8        R+          0:00   ps w
```

STAT (process state) Legend:

First letter:

S: sleeping

T: stopped

R: running

Second letter:

s: session leader

+: foreground proc group

See “man ps” for more details

Sending Signals with `kill` Function


```
void fork12()
{
    pid_t pid[N];
    int i, child_status;
    for (i = 0; i < N; i++)
        if ((pid[i] = fork()) == 0)
            while(1); /* Child infinite loop */

    /* Parent terminates the child processes */
    for (i = 0; i < N; i++) {
        printf("Killing process %d\n", pid[i]);
        kill(pid[i], SIGINT);
    }

    /* Parent reaps terminated children */
    for (i = 0; i < N; i++) {
        pid_t wpid = wait(&child_status);
        if (WIFEXITED(child_status))
            printf("Child %d terminated with exit status %d\n",
                wpid, WEXITSTATUS(child_status));
        else
            printf("Child %d terminated abnormally\n", wpid);
    }
}
```

Receiving Signals

- Suppose kernel is returning from an exception handler and is ready to pass control to process p



Important: All context switches are initiated by calling some exceptional handler.

Receiving Signals

- Suppose kernel is returning from an exception handler and is ready to pass control to process p
- Kernel computes $\mathbf{pnb} = \mathbf{pending} \ \& \ \sim\mathbf{blocked}$
 - The set of pending nonblocked signals for process p
- If ($\mathbf{pnb} == 0$)
 - Pass control to next instruction in the logical flow for p
- Else
 - Choose least nonzero bit k in \mathbf{pnb} and force process p to *receive* signal k
 - The receipt of the signal triggers some *action* by p
 - Repeat for all nonzero k in \mathbf{pnb}
 - Pass control to next instruction in logical flow for p

Default Actions

- Each signal type has a predefined *default action*, which is one of:
 - The process terminates
 - The process terminates and dumps core
 - The process stops until restarted by a SIGCONT signal
 - The process ignores the signal

Installing Signal Handlers

- The `signal` function modifies the default action associated with the receipt of signal `signum`:
 - `handler_t *signal(int signum, handler_t *handler)`
- Different values for `handler`:
 - `SIG_IGN`: ignore signals of type `signum`
 - `SIG_DFL`: revert to the default action on receipt of signals of type `signum`
 - Otherwise, `handler` is the address of a *signal handler*
 - Called when process receives signal of type `signum`
 - Referred to as *“installing”* the handler
 - Executing handler is called *“catching”* or *“handling”* the signal
 - When the handler executes its return statement, control passes back to instruction in the control flow of the process that was interrupted by receipt of the signal

Signal Handling Example


```
void int_handler(int sig) {
    safe_printf("Process %d received signal %d\n", getpid(), sig);
    exit(0);
}
```

```
void forks13() {
    pid_t pid[N];
    int i, child_status;
    signal(SIGINT, int_handler);
    for (i = 0; i < N; i++)
        if ((pid[i] = fork()) == 0
            while(1); /* child inf
        }
    for (i = 0; i < N; i++) {
        printf("Killing process %d\n", pid[i]);
        kill(pid[i], SIGINT);
    }
    for (i = 0; i < N; i++) {
        pid_t wpid = wait(&child_s
        if (WIFEXITED(child_status)
            printf("Child %d termi
                wpid, WEXITSTAT
            else
                printf("Child %d termi
        }
    }
}
```


```
linux> ./forks 13
Killing process 25417
Killing process 25418
Killing process 25419
Killing process 25420
Killing process 25421
Process 25417 received signal 2
Process 25418 received signal 2
Process 25420 received signal 2
Process 25421 received signal 2
Process 25419 received signal 2
Child 25417 terminated with exit status 0
Child 25418 terminated with exit status 0
Child 25420 terminated with exit status 0
Child 25419 terminated with exit status 0
Child 25421 terminated with exit status 0
linux>
```

Signals Handlers as Concurrent Flows

- A signal handler is a separate logical flow (not process) that runs concurrently with the main program
 - “concurrently” in the “not sequential” sense



Another View of Signal Handlers as Concurrent Flows



Signal Handler Funkiness

```
int ccount = 0;
void child_handler(int sig)
{
    int child_status;
    pid_t pid = wait(&child_status);
    ccount--;
    safe_printf(
        "Received signal %d from process %d\n",
        sig, pid);
}

void fork14()
{
    pid_t pid[N];
    int i, child_status;
    ccount = N;
    signal(SIGCHLD, child_handler);
    for (i = 0; i < N; i++)
        if ((pid[i] = fork()) == 0)
            sleep(1); /* Suspend until signal occurs */
            exit(0); /* Suspend until signal occurs */
    while (ccount > 0)
        pause(); /* Suspend until signal occurs */
}
```

■ Pending signals are not queued

- For each signal type, just have single bit indicating whether or not signal is pending
- Even if multiple processes have sent this signal

N=5

```
linux> ./forks 14
Received SIGCHLD signal 17 for process 21344
Received SIGCHLD signal 17 for process 21345
```

Living With Nonqueuing Signals

- **Must check for all terminated jobs**
 - Typically loop with `waitpid`

```
void child_handler2(int sig)
{
    int child_status;
    pid_t pid;
    while ((pid = waitpid(-1, &child_status, WNOHANG)) > 0) {
        ccount--;
        safe_printf("Received signal %d from process %d\n",
                   sig, pid);
    }
}
```

```
void fork15()
{
    . . .
    signal(SIGC)
    . . .
}

greatwhite> forks 15
Received signal 17 from process 27476
Received signal 17 from process 27477
. . .
Received signal 17 from process 27478
Received signal 17 from process 27479
. . .
Received signal 17 from process 27480
greatwhite>
```

More Signal Handler Funkiness

- **Signal arrival during long system calls (say a `read`)**
- **Signal handler interrupts `read` call**
 - Linux: upon return from signal handler, the `read` call is restarted automatically
 - Some other flavors of Unix can cause the `read` call to fail with an `EINTR` error number (`errno`)
in this case, the application program can restart the slow system call
- **Subtle differences like these complicate the writing of portable code that uses signals**
 - Consult your textbook for details

A Program That Reacts to Externally Generated Events (Ctrl-c)

```
#include <stdlib.h>
#include <stdio.h>
#include <signal.h>

void handler(int sig) {
    safe_printf("You think hitting ctrl-c will stop the bomb?\n");
    sleep(2);
    safe_printf("Well...");
    sleep(1);
    printf("OK\n");
    exit(0);
}

main() {
    signal(SIGINT, handler); /* installs ctrl-c handler */
    while(1) {
    }
}
```

```
linux> ./external
<ctrl-c>
You think hitting ctrl-c will stop
the bomb?
Well...OK
linux>
```

external.c

A Program That Reacts to Internally Generated Events

```
#include <stdio.h>
#include <signal.h>

int beeps = 0;

/* SIGALRM handler */
void handler(int sig) {
    safe_printf("BEEP\n");

    if (++beeps < 5)
        alarm(1);
    else {
        safe_printf("BOOM!\n");
        exit(0);
    }
}
```

internal.c

```
main() {
    signal(SIGALRM, handler);
    alarm(1); /* send SIGALRM in
              1 second */

    while (1) {
        /* handler returns here */
    }
}
```

```
linux> ./internal
BEEP
BEEP
BEEP
BEEP
BEEP
BOOM!
bass>
```

Async-Signal-Safety

- Function is *async-signal-safe* if either reentrant (all variables stored on stack frame, CS:APP2e 12.7.2) or non-interruptible by signals.
- Posix guarantees 117 functions to be async-signal-safe
 - `write` is on the list, `printf` is not
- One solution: async-signal-safe wrapper for `printf`:

```
void safe_printf(const char *format, ...) {
    char buf[MAXS];
    va_list args;

    va_start(args, format);           /* reentrant */
    vsnprintf(buf, sizeof(buf), format, args); /* reentrant */
    va_end(args);                     /* reentrant */
    write(1, buf, strlen(buf));       /* async-signal-safe */
}
```

safe_printf.c

Today

- Exceptional Control Flow
- Processes
- Multitasking, shells
- Signals
- **Nonlocal jumps**

Nonlocal Jumps: `setjmp/longjmp`

- **Powerful (but dangerous) user-level mechanism for transferring control to an arbitrary location**
 - Controlled to way to break the procedure call / return discipline
 - Useful for error recovery and signal handling
- **`int setjmp(jmp_buf j)`**
 - Must be called before `longjmp`
 - Identifies a return site for a subsequent `longjmp`
 - Called once, returns one or more times
- **Implementation:**
 - Remember where you are by storing the current ***register context***, ***stack pointer***, and ***PC value*** in `jmp_buf`
 - Return 0

setjmp/longjmp (cont)

■ `void longjmp(jmp_buf j, int i)`

- Meaning:
 - return from the `setjmp` remembered by jump buffer `j` again ...
 - ... this time returning `i` instead of 0
- Called after `setjmp`
- Called once, but never returns

■ `longjmp` Implementation:

- Restore register context (stack pointer, base pointer, PC value) from jump buffer `j`
- Set `%eax` (the return value) to `i`
- Jump to the location indicated by the PC stored in jump buf `j`

setjmp/longjmp Example

```
#include <setjmp.h>
jmp_buf buf;

main() {
    if (setjmp(buf) != 0) {
        printf("back in main due to an error\n");
    } else {
        printf("first time through\n");
        p1(); /* p1 calls p2, which calls p3 */
    }
    ...
    p3() {
        <error checking code>
        if (error)
            longjmp(buf, 1)
    }
}
```

Limitations of Nonlocal Jumps

■ Works within stack discipline

- Can only long jump to environment of function that has been called but not yet completed

```


jmp_buf env;

P1()
{
    if (setjmp(env)) {
        /* Long Jump to here */
    } else {
        P2();
    }
}

P2()
{ . . . P2(); . . . P3(); }

P3()
{
    longjmp(env, 1);
}

```



Limitations of Long Jumps (cont.)

■ Works within stack discipline

- Can only long jump to environment of function that has been called but not yet completed

```


jmp_buf env;

P1 ()
{
    P2 (); P3 ();
}

P2 ()
{
    if (setjmp(env)) {
        /* Long Jump to here */
    }
}

P3 ()
{
    longjmp(env, 1);
}

```



Putting It All Together: A Program That Restarts Itself When `ctrl-c`'d

```
#include <stdio.h>
#include <signal.h>
#include <setjmp.h>

sigjmp_buf buf;

void handler(int sig) {
    siglongjmp(buf, 1);
}

main() {
    signal(SIGINT, handler);

    if (!sigsetjmp(buf, 1))
        printf("starting\n");
    else
        printf("restarting\n");

    while(1) {
        sleep(1);
        printf("processing...\n");
    }
}
```

```
greatwhite> ./restart
starting
processing...
processing...
processing...
restarting ← Ctrl-c
processing...
processing...
restarting
processing. ← Ctrl-c
processing...
processing...
```

restart.c

Summary

- **Signals provide process-level exception handling**
 - Can generate from user programs
 - Can define effect by declaring signal handler
- **Some caveats**
 - Very high overhead
 - >10,000 clock cycles
 - Only use for exceptional conditions
 - Don't have queues
 - Just one bit for each pending signal type
- **Nonlocal jumps provide exceptional control flow within process**
 - Within constraints of stack discipline